

Code: JA-82M

WIRELESS WINDOW OPENING DETECTOR **JA-82M** JABLOTRON

Price visible after login

The JA-82M is a wireless and invisible from outdoor opening detector mounted inside of window frame. The device controls the state of opening and closing a window based on position of the handle (closing hitch). The device is powered by battery, for communication is used the OASiS radio protocol.



SPECIFICATION

Detection:	Change the position of closing hitch
Frequency band:	868 MHz
Radio communication range (at open area):	max. 200 m
Support:	JABLOTRON OASiS protocol
Alarm signaling:	Signal to control panel
Tamper contact:	✓
Battery:	2 x CR2354 3V (not included)
Backup time:	max. 3 years
Current consumption:	—
Protection class (Grade):	Grade 2
Environmental class EN 50130-5:	—
Main features:	• The LED to indicate violations in test mode, easy start-up and later maintenance of the system • Opening the door or window
Operation temp:	-10 °C ... 40 °C
Permissible relative humidity:	93 ± 3 %
Color:	White
Weight:	0.003 kg
Dimensions:	192 x 25 x 9 mm
Manufacturer / Brand:	JABLOTRON
Guarantee:	2 years

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

PRESENTATION

View after remove the cover:




Mounting side view:



Method of mounting:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60