

Code: HAC-HF3805G

HD-CVI, PAL CAMERA **HAC-HF3805G** - 4K UHD DAHUA

Net: **980.34 EUR** Gross: **980.34 EUR**

Megapixel camera with 4/3" Progressive Scan CMOS sensor and HD-CVI (High Definition Composite Video Interface).

The HD-CVI interface allows to transmission of analog, composite video signal via coaxial cable. It enables the transmission of HD resolution images for even 500 m distance with keeping the low costs of the installation. During transmission there are no delays and is maintained the original, high quality image.

Attention! Lens mounting type - M43.



SPECIFICATION

Standard:	HD-CVI, PAL
Sensor:	4/3 " Progressive Scan CMOS
Matrix size:	8.3 Mpx
Resolution:	3840 x 2160 - 4K UHD , 2560 x 1440 - 4 Mpx
Video output:	• HDMI 4K • BNC socket - 1 Vpp / 75 Ω
Lens:	—
Auto Iris socket:	—
S/N ratio:	> 65 dB
Min. illumination:	0.001 Lux F1.2, 30 IRE (color)
IR illuminator support:	ICR - Movable InfraRed filter
Audio:	• Microphone built-in, • External microphone input
Alarm inputs / outputs:	2 / 1
RS-485 interface:	—
OSD menu:	✓
Main features:	• U-WDR - 140 dB - Wide Dynamic Range • 2D-DNR / 3D-DNR - Digital Noise Reduction • BLC/HLC - Back Light / High Light Compensation • ICR - Movable InfraRed filter • AGC - Automatic Gain Control • Auto White Balance

Power supply:	• 12 V DC / 530 mA, • 24 V AC
Power consumption:	≤ 6.4 W
Housing:	BOX, Aluminum
Color:	Black
Operation temp:	-30 °C ... 60 °C
Weight:	0.64 kg
Dimensions:	145 x 82 x 74 mm
Manufacturer / Brand:	DAHUA
Guarantee:	3 years

PRESENTATION

Front view:



Side view:



Rear view:




DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
 POL; 60-713 Poznań; Graniczna 10
 e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Camera connectors:



Dimensions:



OUR OPINIONS



- Thanks to the "Starlight" technology used, the camera only needs very low lighting to obtain a clear color image.

PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

