




	HANGING RACK CABINET R10-9U/300-GB	VIDEO AMPLIFIER VCA-1/2000	NVR NVR4232-EI 32 CHANNELS WizSense DAHUA
			
	58.84 EUR 58.84 EUR	27.19 EUR 27.19 EUR	492.75 EUR 492.75 EUR
Standard	TCP/IP
Internal width	10 "
Standard	...	CVBS - PAL / NTSC	...
Internal height	9 U
Device type	...	Active	...
Supported resolutions	max. 16 Mpx - 4608 x 3472 px
Internal depth	280 mm
External width	292 mm
Video outputs	1 pcs HDMI 4K 1 pcs VGA
External height	340 mm
Number of channels	...	1 Video	...
External depth	300 mm
Video transmission range	...	max. 2000 m	...
Audio support	<ul style="list-style-type: none"> • 32 Channels - Audio from cameras • Bi-directional audio streaming support
Video bandwidth	...	0 ... 9 MHz	...
Audio inputs	1 pcs CINCH
Holes for fan coolers	2 pcs : 105 x 105 mm
Coaxial socket impedance	...	75 Ω	...
Audio outputs	1 pcs CINCH
Color	Black
Removable rear panel	—
Door	Front: glass
Coaxial socket type	...	2 x BNC Straight socket	...
Image compression method	Smart H.265+ / H.265 / Smart H.264+ / H.264 / MJPEG
Main features	<ul style="list-style-type: none"> • Blind holes for wires on the top and bottom wall of the cabinet • Possibility to mount the door as left or right • Possibility of adjusting the depth of fixing the mounting strips • 2 keys included 	<ul style="list-style-type: none"> • Distance range switch built-in • Signal correction 	...
Bitrate	max. 256 Mbps
Supported hard drives	2 x 16 TB SATA
Recording modes	Manual, Sensor, Motion detection, Schedule
External storage devices backup	Backup to USB drive (pendrive, external drive)
Searching and playback the records	<ul style="list-style-type: none"> • Records searching: by time and events type. Records playback: forward, backward, fast, slow • Advanced searching (to the one second accuracy) • Smart Playback function • Records playback from max. 16 channels in the same time @ 1080p (without AI) • Records playback from max. 12 channels in the same time @ 1080p (AI)
Network interface	1 x RJ-45 10/100/1000 Base-TX

DELTA-OPTI Monika Matysiak / VAT:PL5251295225 / 60-713 Poznań, ul. Graniczna 10
Tel:+48 61 864 69 60 / GSM:+48 607 60 11 66 / Fax:+48 61 864 69 65 / e-mail: info@delta.poznan.pl
Monday-Friday: 8.00-19.00 / Saturday: 8.00-14.00

Network functions	Full support via network, Remote records copying, Web-Server built-in
Network protocols	HTTP, HTTPS, TCP/IP, IPv4/IPv6, UPnP, SNMP, UDP, SMTP, NTP, DHCP, DNS, IP Filter, PPPoE, DDNS, FTP, Alarm Server, IP Search, P2P, Auto Register
ONVIF	22.06
Default IP address	192.168.1.108
Default admin user / password	admin / - The administrator password should be set at the first start
Mobile phones support	Port no.: 37777 or access by a cloud (P2P) • Android: Free application DMSS • iOS (iPhone): Free application DMSS See how to configure the P2P function in Dahua recorders and how to enable the mobile application
Web browser access ports	80, 37777
PC client access ports	37777
Mobile client access ports	37777
RTSP URL	• rtsp://admin:haslo@192.168.1.108:554/cam/realmonitor?channel=1&subtype=0 - Main stream • rtsp://admin:haslo@192.168.1.108:554/cam/realmonitor?channel=1&subtype=1 - Sub stream
USB	2 pcs USB 2.0
Serial ports	—
Alarm inputs / outputs	4 / 2
PTZ control	IP Speed Dome Cameras
Motion Detection	✓
Intelligent image analysis	✓
Main features	<ul style="list-style-type: none"> • Intelligent image analysis : crossing the line (tripwire), intrusion, scene changing, face detection • SMD PLUS - searching for an object classified as: human, motor vehicle • Filtering of false alarms based on the recognition of persons and vehicles • Quick Pick - AI technology enabling, together with the recorder, quick identification of interesting objects (people/vehicles) based on an artificial intelligence algorithm. It allows to extract and compare the colors of clothes and vehicles • Face recognition • Face analysis: determination of sex, age and characteristic elements of appearance (glasses, facial hair, mask) • Support for up to 10 face databases, including 20 000 face images • In the base other than face photography, can also be stored such information as: name, sex, date of birth, nationality, address, ID number • Intelligent face search by metadata of different targets or uploading pictures of faces to the device and comparing them with recorded faces by similarity • Privacy zones <p>Functions implemented in cooperation between the recorder and cameras that support these functions :</p> <ul style="list-style-type: none"> • ANPR • people counting • heat map
Mouse support	✓
IR remote controller in the set	—
Power supply	...	12 V / 60 mA (power adapter not included)	12 V DC / 4 A (power adapter included)
Power consumption	max. 10 W (without HDD)
Operation temp	-10 °C ... 55 °C
Weight	3.6 kg	0.07 kg	1.49 kg

Dimensions	...	120 x 61 x 30 mm	375 x 284 x 53 mm
Supported languages	Polish, English, Bulgarian, Czech, Finnish, Greek, Romanian, Serbian, Slovenian, Hungarian
Manufacturer / Brand	...	DELTA	DAHUA
Guarantee	2 years	3 years	3 years



DELTA-OPTI Monika Matysiak / VAT:PL5251295225 / 60-713 Poznań, ul. Graniczna 10
Tel:+48 61 864 69 60 / GSM:+48 607 60 11 66 / Fax:+48 61 864 69 65 / e-mail: info@delta.poznan.pl
Monday-Friday: 8.00-19.00 / Saturday: 8.00-14.00