



	<a href="#">POWER DISTRIBUTION UNIT LE-049484 (6 OUTLETS) 1.5 m LEGRAND</a>	<a href="#">UPS INV07-GC TO THE CENTRAL HEATING PUMP Green Cell</a>
		
	121.52 DKK 121.52 DKK	512.09 DKK 512.09 DKK
Rated voltage	230 V AC / 50 Hz	...
Nominal power	...	300 W (continuous operation) / 600 W (max)
Total maximal current	16 A	...
Maximal total load	3680 W	...
Input voltage	...	230 V AC
Number of outlets	6 grounded outlets 16A/250V CEE 7/5	...
Input frequency	...	50 Hz
Fuse	—	...
Switch	—	...
Wire gauge	3 x 1.0 mm <sup>2</sup>	...
Length of the cable	1.5 m	...
Housing	Plastic	...
Color	White / Gray	...
Output voltage	...	<ul style="list-style-type: none"> <li>• 230 V AC (Pure Sine Wave) - Network mode</li> <li>• 230 V AC (Pure Sine Wave) - battery (battery operation)</li> </ul>
Output frequency	...	50 Hz
Voltage adjustment	...	—
Frequency adjustment	...	—
Battery	...	12 V (not included)
Number of outputs	...	1 x CEE 7/3 (Schuko)
Management software	...	—
Protections	...	<ul style="list-style-type: none"> <li>• Fuse</li> <li>• Temperature</li> <li>• Overvoltage</li> <li>• Short-circuit</li> </ul>
Operation state indication	...	LED diodes : Power, Failure signaling

Main features	...	<ul style="list-style-type: none"> <li>• Auto restart while AC is recovering</li> <li>• Battery charging</li> <li>• The converter provides sinusoidal voltage, so it can be used to power interference-sensitive devices</li> <li>• Solid workmanship</li> </ul>
Application	...	<ul style="list-style-type: none"> <li>• Central heating pumps</li> <li>• Surveillance Systems</li> <li>• RTV</li> </ul>
Housing type	...	Wall-mounted, hanging
Weight	0.39 kg	1.84 kg
Dimensions	295 x 54 x 37 mm	283 x 135 x 79 mm
Manufacturer / Brand	LEGRAND	Green Cell
Guarantee	2 years	2 years