



	IP CAMERA DS-2CD2E43G2-U(2.8MM) ACUSENSE - 4 Mpx Hikvision	USB VIDEO CONFERENCE CAMERA VCS-C4A0 - 1080p DAHUA
		
	247.28 EUR 247.28 EUR	326.22 EUR 326.22 EUR
Standard	TCP/IP	USB
Sensor	1/3 " Progressive Scan CMOS	1/2.8 " CMOS
Matrix size	4 Mpx	2.1 Mpx
Resolution	2688 x 1520 - 4 Mpx , 1920 x 1080 - 1080p , 1280 x 720 - 720p	1920 x 1080 - 1080p
Interface	...	USB 2.0
Lens	2.8 mm	...
View angle	103 °	120 °
Range of IR illumination	—	...
RS-485 interface	—	...
Image compression method	H.265+ / H.265 / H.264+ / H.264 / MJPEG	MJPEG
Alarm inputs / outputs	—	—
Memory card slot	Micro SD memory cards up to 512GB support (possible local recording)	—
Main stream frame rate	25 fps @ 4 Mpx	...
Audio	Microphone built-in	<ul style="list-style-type: none"> • Microphone built-in, omni-directional, • Noise and echo reduction • Effective range of voice reception - 3 m • Speaker built-in, Bandwidth 300 Hz ... 22 kHz • Bi-directional audio streaming support
Network interface	10/100 Base-T (RJ-45)	...
WEB Server	Built-in	...
Max. number of on-line users	6	...
ONVIF	✓	...
Mobile phones support	Port no.: 8000 or access by a cloud (P2P) • Android: Free application Hik-Connect • iOS: Free application Hik-Connect	...
Default admin user / password	admin / - The administrator password should be set at the first start	...

Default IP address	192.168.1.64	...
Web browser access ports	80	...
PC client access ports	Port no.: 8000 or access by a cloud (P2P) - iVMS-4200 application	...
Mobile client access ports	8000	...
Port ONVIF	80	...
Length of the cable	...	1.5 + 1.8 m USB
RTSP URL	<ul style="list-style-type: none"> • Main stream rtsp://user:password@192.168.1.64:554/Streaming/Channels/101/ • Sub stream rtsp://user:password@192.168.1.64:554/Streaming/Channels/102/ 	...
Main features	<ul style="list-style-type: none"> • Camera from AcuSense series • WDR - 120 dB - Wide Dynamic Range • 3D-DNR - Digital Noise Reduction • BLC/HLC - Back Light / High Light Compensation • ROI - improve the quality of selected parts of image • Anti-Flicker - The technology eliminates the tiring eyes flickering image effect • ANR - Automatic Network Replenishment allows to save image to the card when the network connection with DVR is break (network failure) and next synchronize its • NAS - Network Attached Storage support - allows to connect memory resources directly to the computer network • Day/night mode • ICR - Movable InfraRed filter • Auto White Balance • AGC - Automatic Gain Control • Possibility to change the resolution, quality and bit rate • Sharpness - sharper image outlines • Mirror - Mirror image • Configurable Privacy Zones • Motion Detection • Filtering of false alarms based on the recognition of persons and vehicles • Intelligent image analysis : intrusion, crossing the line (tripwire), face detection 	<ul style="list-style-type: none"> • Easy installation - Plug&Play USB device type • Tilt angle adjustment of the camera • Bidirectional communication • Compatible with Skype, Wechat, Zoom • Application - conference rooms
Power supply	<ul style="list-style-type: none"> • PoE (802.3af), • 12 V DC / 270 mA 	5 V DC / 500 mA (max) - mini USB
Power consumption	<ul style="list-style-type: none"> • ≤ 4.2 W @ PoE (802.3af) • ≤ 3.2 W @ 12 V DC 	...
Housing	Dome, Plastic	Plastic
Vandal-proof	—	...
Color	<ul style="list-style-type: none"> • White • Black 	Black
"Index of Protection"	—	...
Operation temp	-10 °C ... 50 °C	...

Weight	0.16 kg	0.47 kg
Dimensions	Ø 94 x 118 mm	62 x 62 x 235 mm
Supported languages	Polish, English, Bulgarian, Croatian, Czech, Danish, Estonian, Finnish, French, Greek, Spanish, Dutch, Lithuanian, Latvian, German, Norwegian, Portuguese, Russian, Romanian, Serbian, Slovak, Slovenian, Swedish, Turkish, Ukrainian, Hungarian, Italian	...
Manufacturer / Brand	Hikvision	DAHUA
SAP Code	311317004	...
Guarantee	3 years	3 years



DELTA-OPTI Monika Matysiak / VAT:PL5251295225 / 60-713 Poznań, ul. Graniczna 10
 Tel:+48 61 864 69 60 / GSM:+48 607 60 11 66 / Fax:+48 61 864 69 65 / e-mail: info@delta.poznan.pl
 Monday-Friday: 8.00-19.00 / Saturday: 8.00-14.00