



	<a href="#">WIRELESS VIDEO DOORPHONE ATLO-DBC51- TUYA Wi-Fi, Tuya Smart</a>	<a href="#">ROUTER ARCHER-C20 2.4 GHz, 5 GHz 450 Mbps + 433 Mbps TP-LINK</a>
		
	135.40 CAD 135.40 CAD	39.90 CAD 39.90 CAD
Frequency range	...	2.4 GHz, 5 GHz
Sensor	SmartSens CMOS - 2 Mpx	...
Antenna type	...	3 x Omnidirectional antenna
Resolution	1920 x 1080 px - 1080p	...
Lens	2.0 mm F1.2	...
Standards	...	IEEE 802.11 b/g/n @ 2.4 GHz IEEE 802.11 a/n/ac @ 5 GHz
View angle	140 °	...
Baud rates	...	450 Mbps + 433 Mbps
IR illuminator	5 ... 10 m	...
LED illuminator	—	...
Wireless transmission range	The range limited only by the availability of the Wi-Fi network	...
Wi-Fi standard	2.4 GHz IEEE 802.11 b/g/n	...
Network interface	<ul style="list-style-type: none"> <li>• 10/100 Mbps Fast Ethernet, RJ-45 socket</li> <li>• 2.4 GHz Wi-Fi</li> </ul>	...
Mobile phones support	The <a href="#">Tuya Smart</a> free application on Android The <a href="#">Tuya Smart</a> free application on iOS	...
LAN ports	...	1 x 10/100 Mbps - Uplink 4 x 10/100 Mbps - LAN
Image compression method	H.265 / H.264	...
Supported audio formats	G.711	...
LED indicators	...	Power, 2.4 GHz WLAN, 5 GHz WLAN, Act/Link (4 x Ethernet), WAN, WPS

Receiver sensitivity	...	2.4 GHz : • 11g 54M : -76 dBm • 11n HT20 MCS7 : -73 dBm • 11n HT40 MCS7 : -71 dBm 5 GHz : • 11a 54M : -76 dBm • 11ac VHT20 MCS8 : -71 dBm • 11ac VHT40 MCS9 : -66 dBm • 11ac VHT80 MCS9 : -62 dBm
DDNS	...	• No-IP • DynDNS • Comexe
DHCP server	...	✓
Firmware update	...	✓
Protections	...	WPA/WPA2, WPA-PSK/WPA2-PSK DoS attacks protection, SPI network firewall, domain filtering, IP and MAC filtering, IP and MAC binding
Management interface	...	Web browser, TP-LINK Tether

Main features	<ul style="list-style-type: none"> <li>• Micro SD memory cards up to 256GB support (possible local recording)</li> <li>• Various record modes - users can choose time range for recording during day and set the specific recording mode: recording from motion detection, manual recording, schedule recording,</li> <li>• Motion Detection,</li> <li>• PIR detector,</li> <li>• ICR - Movable InfraRed filter</li> <li>• Day/night mode,</li> <li>• Microphone built-in,</li> <li>• Speaker built-in,</li> <li>• Bidirectional communication,</li> <li>• Noise and echo reduction</li> <li>• Full support via network</li> <li>• 5 on-line users,</li> <li>• Possibility to work in cloud - you don't need to redirect the ports,</li> <li>• Video PUSH personal messaging - Motion Detection,</li> <li>• Video recording - Motion Detection, Doorbell button,</li> <li>• Automatic events notification via Email messages</li> <li>• Lock control - Relay output</li> <li>• Tamper protections</li> <li>• Google Home, Amazon Echo compliance</li> </ul>	...
Mount	Surface-mounted	...
Transmitter power	...	max. 20 dBm @ 2.4 GHz max. 23 dBm @ 5 GHz
Power supply	<ul style="list-style-type: none"> <li>• 12 V DC / 1 A (power adapter included)</li> <li>• 48 V PoE (802.3af)</li> </ul>	9 V DC / 0.85 A (power adapter included)
Housing	Aluminum + Plastic (ABS)	...
Color	Silver	...
"Index of Protection"	IP44	...

Main features	...	<ul style="list-style-type: none"> <li>• Firewall</li> <li>• Internet access filtering</li> <li>• Static / dynamic routing</li> <li>• Built-in 4-port switch</li> <li>• Wireless transmission statistics</li> <li>• The WPS function allows to easy establish an encrypted connection</li> <li>• QoS</li> <li>• WMM (Wi-Fi Multimedia)</li> <li>• Rate limit</li> <li>• Access control</li> <li>• Remote management</li> <li>• DMZ</li> <li>• parental control</li> <li>• Guest Network - a separate and secure network for guests</li> </ul>
Operation temp	-20 °C ... 55 °C	0 °C ... 40 °C
Permissible relative humidity	...	10 % ... 90 % (non-condensing)
Weight	<ul style="list-style-type: none"> <li>• 0.212 kg - Wireless Video Doorbell</li> <li>• 0.046 kg - rain cover</li> </ul>	0.29 kg
Dimensions	<ul style="list-style-type: none"> <li>• 141 x 87 x 25 mm - Wireless Video Doorbell</li> <li>• 147 x 94 x 40 mm - rain cover</li> </ul>	230 x 144 x 35 mm
Manufacturer / Brand	...	TP-LINK
Guarantee	2 years	3 years