



	<a href="#">EXPANSION PLUG KW-8/4X40 KLIMAS</a>	<a href="#">AHD, HD-CVI, HD-TVI, CVBS, TCP/IP DVR BCS-V-XVR0401-4KE-AI 4 CHANNELS BCS View</a>
		
	0.07 EUR 0.07 EUR	222.91 EUR 222.91 EUR
Material	<ul style="list-style-type: none"> <li>• Expansion plug, Polypropylene</li> <li>• Screw, Steel galvanized</li> </ul>	...
Drilling diameter	8 mm	...
Standard	...	AHD, HD-CVI, HD-TVI, CVBS, TCP/IP
Expansion plug length	40 mm	...
Video inputs	...	4 pcs BNC
Screw dimensions	Ø 4 x 40 mm, PZ-2	...
Video outputs	...	<ul style="list-style-type: none"> <li>• 1 pcs HDMI</li> <li>• 1 pcs VGA</li> <li>• 1 pcs CVBS - BNC socket</li> </ul>
Application	<ul style="list-style-type: none"> <li>• Concrete</li> <li>• Solid clay brick</li> <li>• Solid sand-lime brick</li> </ul>	...
Audio inputs	...	<ul style="list-style-type: none"> <li>• 1 pcs CINCH,</li> <li>• 4 pcs Coaxial audio - Audio support via coaxial cable</li> </ul>
Audio outputs	...	1 pcs CINCH
Image compression method	...	H.265 Pro+ / H.265 Pro / H.265 / H.264+ / H.264
Image records resolutions	...	<ul style="list-style-type: none"> <li>• HD-TVI : 8.3 Mpx 4K UHD - 3840 x 2160 1 CH only , 8M-N - 1920 x 2160 2,3,4 CH only , 5 Mpx - 2960 x 1665 (3K) , 3 Mpx - 1920 x 1536 ;</li> <li>• AHD / HD-TVI : 5 Mpx - 2560 x 1944 ;</li> <li>• AHD / HD-CVI / HD-TVI : 3.7 Mpx - 2560 x 1440 , 1080p - 1920 x 1080 , 720p - 1280 x 720 ;</li> <li>• CVBS : 960H - 960 x 576 ;</li> <li>• IP : max. 8.3 Mpx 4K UHD - 3840 x 2160</li> </ul>



Recording speed adjustment	...	8 Mpx IP @ 1 ... 25 fps 8 Mpx @ 1 ... 8 fps 8M-N @ 1 ... 15 fps 5 Mpx @ 1 ... 12 fps 3.7 Mpx @ 1 ... 15 fps 3 Mpx @ 1 ... 18 fps 1080p @ 1 ... 25 fps 720p @ 1 ... 25 fps 960H @ 1 ... 25 fps for each channel
Operation modes	...	4 x HD-TVI / AHD / HD-CVI / CVBS / IP + 4 x IP
Recording modes	...	Manual, Motion Detection, Schedule
Supported hard drives	...	1 x 10 TB SATA
External storage devices backup	...	Backup to USB drive (pendrive, external drive)
Searching and playback the records	...	Records searching: timeline or file list. Playback: forward, fast, slow. 1/4 channel synchronous playback
Network interface	...	1 x RJ-45 - 10/100 Base-TX
Network functions	...	Full support via network, Remote records copying, Web-Server built-in max. 32 on-line users
Network protocols	...	TCP/IP, PPPoE, DHCP, DNS, DDNS, NTP, SADP, NFS, iSCSI, UPnP, HTTPS, ONVIF
Default IP address	...	DHCP or 192.168.1.64
Default admin user / password	...	admin / - The administrator password should be set at the first start
Mobile phones support	...	Port no.: 8000 or access by a cloud (P2P) • Android: Free application <a href="#">BCS Manager</a> • iOS (iPhone): Free application <a href="#">BCS Manager</a>
Web browser access ports	...	80
PC client access ports	...	554 RTSP, 8000 - CMS application
Mobile client access ports	...	8000
Port ONVIF	...	80
RTSP URL	...	• rtsp://user:password@192.168.1.64:554/Streaming/Channels/channel_no01/ - Main stream • rtsp://user:password@192.168.1.64:554/Streaming/Channels/channel_no02/ - Sub stream
USB	...	2 x USB 2.0
Alarm inputs / outputs	...	—
PTZ control	...	• Control compatible with coax HD-TVI • RS-485 - PELCO-D/P
Motion Detection	...	Split the screen into zones : 22 x 18 motion zones
Main features	...	• Intelligent image analysis : intrusion, crossing the line (tripwire) • SMD PLUS - searching for an object classified as: human, motor vehicle
Mouse support	...	✓



DELTA-OPTI Monika Matysiak / VAT:PL5251295225 / 60-713 Poznań, ul. Graniczna 10  
Tel:+48 61 864 69 60 / GSM:+48 607 60 11 66 / Fax:+48 61 864 69 65 / e-mail: info@delta.poznan.pl  
Monday-Friday: 8.00-19.00 / Saturday: 8.00-14.00

IR remote controller in the set	...	—
Power supply	...	12 V DC / 1.5 A (power adapter included)
Power consumption	...	max. 10 W
Color	...	Black
Weight	...	1.17 kg
Dimensions	...	315 x 250 x 45 mm
Supported languages	...	Polish, English, Bulgarian, Croatian, Czech, Danish, Estonian, Greek, Spanish, Dutch, German, Norwegian, Portuguese, Russian, Romanian, Serbian, Slovak, Slovenian, Swedish, Turkish, Hungarian, Italian
Manufacturer / Brand	KLIMAS	BCS View
Guarantee	2 years	3 years



DELTA-OPTI Monika Matysiak / VAT:PL5251295225 / 60-713 Poznań, ul. Graniczna 10  
 Tel:+48 61 864 69 60 / GSM:+48 607 60 11 66 / Fax:+48 61 864 69 65 / e-mail: info@delta.poznan.pl  
 Monday-Friday: 8.00-19.00 / Saturday: 8.00-14.00