



	EXTENDER USB-EX-150/4-USB	AHD, HD-CVI, HD-TVI, CVBS, TCP/IP DVR XVR7208A-4K-I3 8 CHANNELS WizSense DAHUA
		
	90.85 CAD 90.85 CAD	1193.39 CAD 1193.39 CAD
Standard	...	AHD, HD-CVI, HD-TVI, CVBS, TCP/IP
Video inputs	...	8 pcs BNC
Connectors	<ul style="list-style-type: none"> • Transmitter : - 1 x USB-A - 1 x RJ-45 shielded socket • Receiver : - 4 x USB-A - 1 x RJ-45 shielded socket 	...
Video outputs	...	<ul style="list-style-type: none"> • 1 pcs HDMI 4K • 1 pcs VGA
Audio inputs	...	4 pcs CINCH , 8 Channels - Audio support via coaxial cable, HD-CVI only
Audio outputs	...	1 pcs CINCH
Range	<ul style="list-style-type: none"> • 150 m - USB 2.0 @ UTP cat. 6, • 100 m - USB 2.0 @ UTP cat. 5e 	...
UTP category	5e / 6 / 6A / 7	...
Image compression method	...	AI Coding / Smart H.265+ / H.265 / Smart H.264+ / H.264

Main features	<ul style="list-style-type: none"> • USB 2.0 - High-Speed (480 Mb/s) (compatible with older) • Supports 4 USB 2.0 inputs and 1 USB 2.0 output • The transmitter is powered from the source device - no additional power supply is required • The device supports a cascade of gigabit switches, which allows to increase the transmission distance • Lightning protection, surge protection, ESD protection • Easy installation - Plug&Play USB device type 	...
Operation temp	-20 °C ... 60 °C	...
Housing	Metal	...
Image records resolutions	...	<ul style="list-style-type: none"> • AHD / HD-CVI / HD-TVI : 8 Mpx - 3840 x 2160 , 4K-N - 1920 x 2160 , 6 Mpx - 2880 x 1920 - HD-CVI only , 5 Mpx - 2592 x 1944 , 4 Mpx - 2560 x 1440 , 3 Mpx - 2048 x 1536 - AHD / HD-TVI only , 1080p - 1920 x 1080 , 720p - 1280 x 720 • CVBS : 960H - 960 x 576 • IP : max. 8 Mpx - 3840 x 2160
Recording speed adjustment	...	<ul style="list-style-type: none"> 8 Mpx IP @ 1 ... 25 fps 8 Mpx @ 1 ... 15 fps 4K-N @ 1 ... 25 fps 6 Mpx @ 1 ... 20 fps 5 Mpx @ 1 ... 25 fps 4 Mpx @ 1 ... 25 fps 3 Mpx @ 1 ... 25 fps 1080p @ 1 ... 25 fps 720p @ 1 ... 25 fps 960H @ 1 ... 25 fps for each channel
Operation modes	...	8 x AHD / HD-CVI / HD-TVI / CVBS / IP + 8 x IP
Recording modes	...	Manual, Sensor, Motion detection, Schedule
Supported hard drives	...	2 x 16 TB SATA

External storage devices backup	...	Save single frames and whole records from DVR drive to the USB drive
Searching and playback the records	...	Records searching: by time + timeline with record type. Playback: forward, fast, slow, step Advanced searching (to the one second accuracy) 1, 4 or 9 channels synchronous playback, Smart Playback function
Network interface	...	1 x RJ-45 10/100/1000 Base-TX
Network functions	...	Full support via network, Remote records copying, Web-Server built-in
Mobile phones support	...	Port no.: 37777 or access by a cloud (P2P) • Android: Free application DMSS • iOS (iPhone): Free application DMSS See how to configure the P2P function in Dahua recorders and how to enable the mobile application
Alarm inputs / outputs	...	8 / 3
USB	...	• 1 pcs USB 2.0 • 1 pcs USB 3.0
Serial ports	...	RS-485
PTZ control	...	IP Speed Dome Cameras Control compatible with coax PTZ HD-CVI RS-485 - PELCO-D/P
Motion Detection	...	✓

Main features	...	<ul style="list-style-type: none"> • Cooperation with Dahua devices working in the concept of the Internet of Things (IoT), • POS - support the machines installed in the points of sales and displaying the date from them as overlaid text on selected channel window, • Coax Audio/Alarm support, • Intelligent image analysis : crossing the line (tripwire), intrusion, classification of people and vehicles, face detection, • advanced face and vehicle recognition and search functions • Face analysis: determination of sex, age and characteristic elements of appearance (glasses, facial hair, mask) • Support for up to 10 face databases, including 20 000 face images • In the base other than face photography, can also be stored such information as: name, sex, date of birth, nationality, address, ID number • SMD PLUS - searching for an object classified as: human, motor vehicle • Filtering of false alarms based on the recognition of persons and vehicles
Mouse support	...	✓
IR remote controller in the set	...	—
Power supply	5 V DC / 1 A (power adapter included) - Receiver	12 V DC / 5 A (power adapter included)
Power consumption	...	< 15 W (without HDD)
Color	...	Black
Weight	0.12 kg	1.73 kg
Dimensions	77 x 61 x 21 mm	375 x 288 x 53 mm

Supported languages	...	Polish, English, Czech, Danish, Finnish, French, Greek, Spanish, Dutch, German, Portuguese, Russian, Romanian, Serbian, Slovak, Slovenian, Hungarian, Italian
Manufacturer / Brand	...	DAHUA
Guarantee	2 years	5 years



DELTA-OPTI Monika Matysiak / VAT:PL5251295225 / 60-713 Poznań, ul. Graniczna 10
 Tel:+48 61 864 69 60 / GSM:+48 607 60 11 66 / Fax:+48 61 864 69 65 / e-mail: info@delta.poznan.pl
 Monday-Friday: 8.00-19.00 / Saturday: 8.00-14.00