



	POWER DISTRIBUTION UNIT OR-AE-13144 (4 OUTLETS + 2 USB) ORNO	AHD, HD-CVI, HD-TVI, CVBS, TCP/IP DVR XVR5432L-4KL-I3 32 CHANNELS DAHUA
		
	28.42 AUD 28.42 AUD	3173.68 AUD 3173.68 AUD
Rated voltage	230 V AC / 50 Hz	...
Total maximal current	10 A	...
Maximal total load	2300 W	...
Standard	...	AHD, HD-CVI, HD-TVI, CVBS, TCP/IP
Video inputs	...	32 pcs BNC
Number of outlets	<ul style="list-style-type: none"> • 4 grounded outlets 10A/250V, • 2 USB ports 2.1A/5V 	...
Switch	—	...
Length of the cable	1.4 m	...
Video outputs	...	<ul style="list-style-type: none"> • 2 pcs HDMI 4K • 1 pcs VGA • 1 pcs Video composite (BNC socket) There is a possibility to configure a SPOT function on one of the output
Housing	Plastic	...
Audio inputs	...	<ul style="list-style-type: none"> • 4 pcs BNC, • 1 pcs BNC - Microphone • 32 Channels - Audio support via coaxial cable, HD-CVI only
Audio outputs	...	<ul style="list-style-type: none"> • 1 pcs BNC • 1 pcs BNC - Microphone
Image compression method	...	AI Coding / H.265+ / H.265 / H.264+ / H.264

Image records resolutions	...	<ul style="list-style-type: none"> • AHD / HD-CVI / HD-TVI : 8 Mpx - 3840 x 2160 , 8M-N - 1920 x 2160 , 6 Mpx - 2880 x 1920 - HD-CVI only , 5 Mpx - 2592 x 1944 , 4 Mpx - 2560 x 1440 , 4M-N - 1280 x 1440 , 3 Mpx - 2048 x 1536 - AHD / HD-TVI only , 1080p - 1920 x 1080 , 720p - 1280 x 720 • CVBS : 960H - 960 x 576 • IP : max. 12 Mpx - 4000 x 3000
Recording speed adjustment	...	<ul style="list-style-type: none"> 12 Mpx IP @ 1 ... 25 fps 8 Mpx @ 1 ... 7 fps 4K-N @ 1 ... 15 fps 6 Mpx @ 1 ... 10 fps 5 Mpx @ 1 ... 12 fps 4 Mpx @ 1 ... 15 fps 4M-N @ 1 ... 25 fps 3 Mpx @ 1 ... 15 fps 1080p @ 1 ... 25 fps 720p @ 1 ... 25 fps 960H @ 1 ... 25 fps <p>for each channel</p>
Operation modes	...	32 x AHD / HD-CVI / HD-TVI / CVBS / IP
Recording modes	...	Manual, Sensor, Motion detection, Schedule
Supported hard drives	...	4 x 16 TB SATA + 1 x eSATA
External storage devices backup	...	Save single frames and whole records from DVR drive to the USB drive

Searching and playback the records	...	<p>Records searching: by time + timeline with record type. Playback: forward, fast, slow, step Advanced searching (to the one second accuracy)</p> <p>Intelligent face search AI - simultaneous search in the archive of face recordings based on max 8 photos taking into account the similarity threshold (for each photo separately) 1/4/9/16 channel synchronous playback</p>
Network functions	...	<p>Full support via network, Remote records copying, Web-Server built-in max. 128 on-line users</p>
Mobile phones support	...	<p>Port no.: 37777 or access by a cloud (P2P) • Android: Free application DMSS • iOS (iPhone): Free application DMSS</p> <p>See how to configure the P2P function in Dahua recorders and how to enable the mobile application</p>
Alarm inputs / outputs	...	16 / 6
PTZ control	...	<p>IP Speed Dome Cameras Control compatible with coax PTZ HD-CVI RS-485 - PELCO-D/P</p>
Motion Detection	...	Split the screen into zones



Main features	...	<ul style="list-style-type: none"> • Cooperation with Dahua devices working in the concept of the Internet of Things (IoT), • POS - support the machines installed in the points of sales and displaying the date from them as overlaid text on selected channel window, • Coax Audio/Alarm support, • Intelligent image analysis : crossing the line (tripwire), intrusion - classification of people and vehicles • advanced face recognition and search functions • Filtering of false alarms based on the recognition of persons and vehicles • Support for up to 10 face databases, including 20 000 face images • Detection of faces not included in the device database • Searching for faces in recordings based on max 8 selected photos with the ability to independently set the similarity threshold for each photo • SMD PLUS - searching for an object classified as: human, motor vehicle, non-motor vehicle • Port RS-232
USB	...	<ul style="list-style-type: none"> • 2 pcs USB 3.0 • 1 pcs USB 2.0
Mouse support	...	✓
IR remote controller in the set	...	—
Power supply	...	100 V ... 240 V AC @ 50 / 60 Hz
Color	White + Gray	Black
Weight	0.35 kg	4.94 kg
Dimensions	94 x 78 x 78 mm	440 x 420 x 76 mm, RACK 19", 2U

Supported languages	...	Polish, English, Czech, Danish, Finnish, French, Greek, Spanish, Dutch, German, Portuguese, Russian, Romanian, Serbian, Slovak, Slovenian, Hungarian, Italian
Manufacturer / Brand	ORNO	DAHUA
Guarantee	2 years	5 years



DELTA-OPTI Monika Matysiak / VAT:PL5251295225 / 60-713 Poznań, ul. Graniczna 10
 Tel:+48 61 864 69 60 / GSM:+48 607 60 11 66 / Fax:+48 61 864 69 65 / e-mail: info@delta.poznan.pl
 Monday-Friday: 8.00-19.00 / Saturday: 8.00-14.00