



	<a href="#">UNIVERSAL MIDDLE CLAMP PV-KSU/50/B FOR SOLAR PANELS</a>	<a href="#">AHD, HD-CVI, HD-TVI, CVBS, TCP/IP DVR IDS-7208HUHI-M1/S(C) 8 CHANNELS Hikvision</a>
		
	1.49 AUD 1.49 AUD	621.55 AUD 621.55 AUD
Material	Aluminum	...
Height	21.5 mm	...
Hole diameter	9 mm	...
mounting screw	—	...
Main features	Ground pins	...
Standard	...	AHD, HD-CVI, HD-TVI, CVBS, TCP/IP
Video inputs	...	8 pcs BNC - AHD / HD-CVI / HD-TVI / CVBS
Video outputs	...	1 pcs HDMI 4K 1 pcs VGA 1 pcs CVBS - BNC socket
Audio inputs	...	1 pcs CINCH, Coaxial audio - Audio from cameras
Audio outputs	...	1 pcs CINCH
Image compression method	...	H.265+ / H.265 / H.264+ / H.264
Image records resolutions	...	<ul style="list-style-type: none"> <li>• HD-TVI : 8.3 Mpx 4K UHD - 3840 x 2160 , 5 Mpx - 2560 x 1944 , 3.7 Mpx - 2560 x 1440 , 3 Mpx - 1920 x 1536 , 1080p - 1920 x 1080 , 720p - 1280 x 720 ,</li> <li>• AHD : 5 Mpx - 2560 x 1944 , 3.7 Mpx - 2560 x 1440 , 1080p - 1920 x 1080 , 720p - 1280 x 720 ,</li> <li>• HD-CVI : 3.7 Mpx - 2560 x 1440 , 1080p - 1920 x 1080 , 720p - 1280 x 720 ,</li> <li>• PAL : 960H - 960 x 576 ,</li> <li>• IP : max. 8 Mpx - 3840 x 2160</li> </ul>



DELTA-OPTI Monika Matysiak / VAT:PL5251295225 / 60-713 Poznań, ul. Graniczna 10  
 Tel:+48 61 864 69 60 / GSM:+48 607 60 11 66 / Fax:+48 61 864 69 65 / e-mail: info@delta.poznan.pl  
 Monday-Friday: 8.00-19.00 / Saturday: 8.00-14.00

Recording speed adjustment	...	8 Mpx IP @ 1 ... 25 fps 8 Mpx @ 1 ... 8 fps 5 Mpx @ 1 ... 12 fps 4 Mpx @ 1 ... 15 fps 3 Mpx @ 1 ... 18 fps 1080p @ 1 ... 25 fps 720p @ 1 ... 25 fps 960H @ 1 ... 25 fps for each channel
Operation modes	...	8 x HD-TVI / AHD / HD-CVI / CVBS / IP + 8 x IP
Recording modes	...	Manual, Sensor, Motion detection, Schedule
Supported hard drives	...	1 x 10 TB SATA
External storage devices backup	...	Backup to USB drive (pendrive, external drive)
Searching and playback the records	...	Records searching: timeline or file list. Playback: forward, fast, slow. Playback max. 8 cameras in the same time
Network interface	...	1 x RJ-45 - 10/100/1000 Base-TX
Bitrate	...	32 ... 10240 kbps
Network functions	...	Network Client Software and IE browser: live view, playback and backup of the records, partial configuration of the recorder parameters
Network protocols	...	TCP/IP, PPPoE, DHCP, Hik-Connect, DNS, DDNS, NTP, SADP, NFS, iSCSI, UPnP, HTTPS, ONVIF
Mobile phones support	...	Port no.: 8000 or access by a cloud (P2P) • Android: Free application <a href="#">Hik-Connect</a> • iOS: Free application <a href="#">Hik-Connect</a>
Default IP address	...	DHCP or 192.168.1.64
Default admin user / password	...	admin / - The administrator password should be set at the first start
Web browser access ports	...	80
PC client access ports	...	554 RTSP, 8000
Mobile client access ports	...	8000
Port ONVIF	...	80
RTSP URL	...	• rtsp://user:password@192.168.1.64:554/Streaming/Channels/channel_no01/ - Main stream • rtsp://user:password@192.168.1.64:554/Streaming/Channels/channel_no02/ - Sub stream
Alarm inputs / outputs	...	—
PTZ control	...	• Control compatible with coax HD-TVI Hikvision • RS-485 - PELCO-D/P
Motion Detection	...	2.0
USB	...	• 1 x USB 2.0 • 1 x USB 3.0
Mouse support	...	✓



DELTA-OPTI Monika Matysiak / VAT:PL5251295225 / 60-713 Poznań, ul. Graniczna 10  
Tel:+48 61 864 69 60 / GSM:+48 607 60 11 66 / Fax:+48 61 864 69 65 / e-mail: info@delta.poznan.pl  
Monday-Friday: 8.00-19.00 / Saturday: 8.00-14.00

IR remote controller in the set	...	—
Main features	...	<ul style="list-style-type: none"> <li>• DVR from the AcuSense series</li> <li>• Intelligent image analysis : crossing the line (tripwire), intrusion, Deep Learning technology</li> <li>• Smart motion detection (with recognizing people and vehicles)</li> <li>• Filtering of false alarms based on the recognition of persons and vehicles</li> </ul>
Power supply	...	12 V DC / 2 A (power adapter included)
Color	Black	Black
Weight	0.026 kg	1.25 kg
Dimensions	50 x 36 x 24.5 mm	315 x 250 x 45 mm
Supported languages	...	Polish, English, Bulgarian, Croatian, Czech, Danish, Estonian, Greek, Spanish, Dutch, German, Norwegian, Portuguese, Russian, Romanian, Serbian, Slovak, Slovenian, Swedish, Turkish, Hungarian, Italian
Manufacturer / Brand	...	Hikvision
SAP Code	...	300227543
Guarantee	2 years	3 years

