




	<a href="#">INDOOR PANEL VTH5422HB-W IP / Wi-Fi / 2-Wire DAHUA</a>	<a href="#">IP CAMERA IPC-F22FEP Wi-Fi BULLET 2 Full-Color - 1080p 2.8 mm</a>
		
	2514.22 DKK 2514.22 DKK	243.26 DKK 243.26 DKK
Compatibility	DAHUA	...
Standard	...	TCP/IP
Sensor	...	1/2.8 " Progressive Scan CMOS
Shield	7 " capacitive touch screen	...
Matrix size	...	2.1 Mpx
Internal memory	—	...
Resolution	1024 x 600	1920 x 1080 - 1080p
Lens	...	2.8 mm
View angle	...	108 °
White light LED illuminator range	...	30 m
Audio	...	<ul style="list-style-type: none"> <li>• Microphone built-in,</li> <li>• Speaker built-in,</li> <li>• Alarm siren 110 dB</li> <li>• Audio transmission via network</li> </ul>
Image compression method	...	H.265 / H.264
Main stream frame rate	...	25 fps @ 1080p
Network protocols	...	TCP, DHCP
ONVIF	...	✓
Network interface	...	<ul style="list-style-type: none"> <li>• Ethernet : 100 Mbps</li> <li>• Wi-Fi IEEE 802.11 b/g/n - 2.4 GHz</li> </ul>
WEB Server	...	—
Controlling	capacitive touch screen	...
Mobile phones support	...	Access by a cloud (P2P) <ul style="list-style-type: none"> <li>• Android: Free application <a href="#">IMOU</a></li> <li>• iOS (iPhone): Free application <a href="#">IMOU</a></li> </ul>
Alarm inputs	6 ( 1 - as a bell )	...
Default admin user / password	...	admin / - The administrator password should be set at the first start
Alarm outputs	1	...

Default IP address	...	DHCP
Web browser access ports	...	—
PC client access ports	...	—
Mobile client access ports	...	—
Port ONVIF	...	—
RTSP URL	...	—
Memory card slot	Micro SD memory cards up to 64GB support (possible local recording)	Micro SD memory cards up to 256GB support (possible local recording)
Operation temp	-10 °C ... 55 °C	...
Color	Black	...
Main features	<ul style="list-style-type: none"> <li>• Wi-Fi Module - 2.4 GHz IEEE 802.11 b/g/n,</li> <li>• Protections : WEP 64/128-bit, WPA/WPA2, WPA-PSK/WPA2-PSK,</li> <li>• Microphone built-in,</li> <li>• Speakers built-in,</li> <li>• Bidirectional communication,</li> <li>• Smooth adjustment of monitor parameters: image brightness, ring tone volume and conversation volume,</li> <li>• The ability to automatically take and save photos if you do not answer to the bell button,</li> <li>• The ability to record a short video message in the absence of a response to the bell button,</li> <li>• IP Dahua cameras support</li> </ul>	<ul style="list-style-type: none"> <li>• Wi-Fi Module - IEEE 802.11 b/g/n,</li> <li>• MIMO technology - increases the throughput of wireless link (multiple antennas transmission)</li> <li>• Motion Detection</li> <li>• People detection</li> <li>• D-ZOOM - Digital Zoom : 16x</li> <li>• Built-in alarm siren</li> <li>• LED Floodlight</li> <li>• Full Color - colorful night mode</li> <li>• Light and sound alarm</li> <li>• IMOU Cloud</li> <li>• RESET button</li> </ul>
Power supply	<ul style="list-style-type: none"> <li>• 2-Wire IP interface,</li> <li>• 48 V DC / 1.25 A</li> </ul>	12 V DC / 1 A (power adapter included)
Power consumption	<ul style="list-style-type: none"> <li>• ≤ 6 W (operation)</li> <li>• ≤ 2 W (standby)</li> </ul>	< 5.32 W
"Index of Protection"	...	IP67
Weight	0.36 kg	0.36 kg
Dimensions	189 x 130 x 26 mm	148 x 74 x 74 mm
Supported languages	Polish, English	—

Manufacturer / Brand	DAHUA	DAHUA
Guarantee	3 years	2 years



DELTA-OPTI Monika Matysiak / VAT:PL5251295225 / 60-713 Poznań, ul. Graniczna 10  
Tel:+48 61 864 69 60 / GSM:+48 607 60 11 66 / Fax:+48 61 864 69 65 / e-mail: info@delta.poznan.pl  
Monday-Friday: 8.00-19.00 / Saturday: 8.00-14.00