



	<a href="#">VIDEO DOORPHONE INTEGRATED WITH MAILBOX S551-SKM VIDOS</a>	<a href="#">NVR NVR5432-EI 32 CHANNELS +eSATA WizSense DAHUA</a>
		
	8971.29 CZK 8971.29 CZK	30879.19 CZK 30879.19 CZK
Compatibility	VIDOS Analog Video Doorphones	...
Standard	...	TCP/IP
Supported resolutions	...	max. 32 Mpx
Sensor	1/3 ", 600 TVL	...
View angle	87 °	...
IR illuminator	✓	...
Video outputs	...	2 pcs HDMI 4K 2 pcs VGA
LED illuminator	—	...
Fingerprint reader built-in	—	...
proximity reader built-in	—	...
Audio support	...	<ul style="list-style-type: none"> <li>• 32 Channels - Audio from cameras</li> <li>• Bi-directional audio streaming support</li> </ul>
Built-in keypad	—	...
Audio inputs	...	1 pcs CINCH
The number of subscribers served	1	...
Audio outputs	...	2 pcs CINCH
Video output	compatible with the VIDOS DUO digital video doorphone system	...
Image compression method	...	Smart H.265+ / H.265 / Smart H.264+ / H.264 / MJPEG
Bitrate	...	max. 384 Mbps
Supported hard drives	...	4 x 16 TB SATA + 1 x eSATA
Recording modes	...	Manual, Sensor, Motion detection, Schedule
External storage devices backup	...	Backup to USB drive (pendrive, external drive)

Main features	<ul style="list-style-type: none"> <li>• Integrated mailbox - Through</li> <li>• Camera - Angle adjustment range <math>\pm 10^\circ</math></li> <li>• Backlight - 8 x LED IR</li> <li>• Vandal-proof front panel</li> <li>• Electric strikes and electromagnetic locks support</li> <li>• Call button - Blue backlight</li> </ul>	...
Searching and playback the records	...	<ul style="list-style-type: none"> <li>• Records searching: by time and events type. Records playback: forward, backward, fast, slow</li> <li>• Advanced searching (to the one second accuracy)</li> <li>• Smart Playback function</li> <li>• Records playback from max. 32 channels in the same time @ 1080p (without AI)</li> <li>• Records playback from max. 24 channels in the same time @ 1080p (AI)</li> </ul>
Housing	<ul style="list-style-type: none"> <li>• Acid-proof steel - Front panel, Rear panel</li> <li>• Steel galvanized - Drawer</li> </ul>	...
Color	Silver	...
Network interface	...	2 x RJ-45 10/100/1000 Base-TX
"Index of Protection"	IP54	...
Network functions	...	Full support via network, Remote records copying, Web-Server built-in
Network protocols	...	HTTP, HTTPS, TCP/IP, IPv4/IPv6, RTSP, UDP, SNMP, NTP, DHCP, DNS, SMTP, UPnP, IP Filter, PPPoE, FTP, DDNS, Alarm Server, IP Search, Multicast, P2P, Auto Register
ONVIF	...	21.12
Default IP address	...	192.168.1.108
Default admin user / password	...	admin / - The administrator password should be set at the first start
Mobile phones support	...	Port no.: 37777 or access by a cloud (P2P) <ul style="list-style-type: none"> <li>• Android: Free application <a href="#">DMSS</a></li> <li>• iOS (iPhone): Free application <a href="#">DMSS</a></li> </ul> See how to configure the P2P function in Dahua recorders and how to enable the mobile application
Web browser access ports	...	80, 37777
PC client access ports	...	37777
Mobile client access ports	...	37777
RTSP URL	...	<ul style="list-style-type: none"> <li>• rtsp://admin:hasło@192.168.1.108:554/cam/realmonitor?channel=1&amp;subtype=0 - Main stream</li> <li>• rtsp://admin:hasło@192.168.1.108:554/cam/realmonitor?channel=1&amp;subtype=1 - Sub stream</li> </ul>
USB	...	1 pcs USB 2.0 2 pcs USB 3.0
Serial ports	...	RS-485, RS-232

Alarm inputs / outputs	...	16 / 6
PTZ control	...	<ul style="list-style-type: none"> <li>• IP Speed Dome Cameras</li> <li>• RS-485 - PELCO-D/P and others</li> </ul>
Motion Detection	...	✓
Intelligent image analysis	...	✓
Main features	...	<ul style="list-style-type: none"> <li>• Intelligent image analysis : crossing the line (tripwire), intrusion, face detection</li> <li>• SMD PLUS - searching for an object classified as: human, motor vehicle</li> <li>• Filtering of false alarms based on the recognition of persons and vehicles</li> <li>• Face recognition</li> <li>• Face analysis: determination of sex, age and characteristic elements of appearance (glasses, facial hair, mask)</li> <li>• Support for up to 20 face databases, including 20 000 face images</li> <li>• In the base other than face photography, can also be stored such information as: name, sex, date of birth, nationality, address, ID number</li> <li>• Intelligent face search by metadata of different targets or uploading pictures of faces to the device and comparing them with recorded faces by similarity</li> <li>• Privacy zones</li> <li>• Cooperation with POS (Point of Sale) terminals</li> <li>• Working in a cluster</li> </ul> <p>Functions implemented in cooperation between the recorder and cameras that support these functions :</p> <ul style="list-style-type: none"> <li>• ANPR</li> <li>• Authorized and unauthorized license plate lists: up to 20 000 records</li> <li>• counting people / vehicles</li> <li>• crowd gathering estimation</li> <li>• heat map</li> <li>• metadata handling - automatic photo taking and collection of information enabling the subsequent identification of people and vehicles that triggered the alarm (clothing, silhouette, face, features of motor and non-mechanical vehicles)</li> </ul>
Mouse support	...	✓
IR remote controller in the set	...	—
Power supply	From internal panel	100 ... 240 V AC @ 50 / 60 Hz
Power consumption	≤ 1.5 W (operation)	max. 13 W (without HDD)
Operation temp	-20 °C ... 55 °C	-10 °C ... 55 °C
Weight	4.5 kg	4.42 kg
Dimensions	<ul style="list-style-type: none"> <li>• Front panel : 285 x 332 mm</li> <li>• Rear panel : 260 x 110 mm</li> <li>• Adjustable depth of the box : 260 ... 410 mm</li> </ul>	440 x 415 x 76 mm
Supported languages	...	Polish, English, Bulgarian, Czech, Finnish, Greek, Romanian, Serbian, Slovenian, Hungarian
Manufacturer / Brand	VIDOS	DAHUA
Guarantee	3 years	3 years