



	<a href="#">AHD, HD-CVI, HD-TVI, CVBS, TCP/IP DVR XVR5108HE-4KL-I3 8 CHANNELS DAHUA</a>	<a href="#">CONNECTOR FOR LED STRIPS AD-TL-6499/Z/T/RGB 10 mm ORNO</a>
		
	468.48 EUR 468.48 EUR	0.97 EUR 0.97 EUR
Application	...	Works with LED lighting RGB
Strip width	...	10 mm
Standard	AHD, HD-CVI, HD-TVI, CVBS, TCP/IP	...
"Index of Protection"	...	—
Video inputs	8 pcs BNC	...
Maximal power voltage	...	48 V
Video outputs	<ul style="list-style-type: none"> <li>• 1 pcs HDMI 4K</li> <li>• 1 pcs VGA</li> </ul> There is a possibility to configure a SPOT function on one of the output	...
Audio inputs	<ul style="list-style-type: none"> <li>• 8 pcs - CINCH</li> <li>• 8 - Audio support via coaxial cable, HD-CVI only</li> </ul>	...
Audio outputs	1 pcs CINCH	...
Image compression method	AI Coding / H.265+ / H.265 / H.264+ / H.264	...
Image records resolutions	<ul style="list-style-type: none"> <li>• AHD / HD-CVI / HD-TVI : 8 Mpx - 3840 x 2160 , 4K-N - 1920 x 2160 , 6 Mpx - 2880 x 1920 - HD-CVI only , 5 Mpx - 2592 x 1944 , 4 Mpx - 2560 x 1440 , 4M-N - 1280 x 1440 , 3 Mpx - 2048 x 1536 - AHD / HD-TVI only , 1080p - 1920 x 1080 , 720p - 1280 x 720</li> <li>• CVBS : 960H - 960 x 576</li> <li>• IP : max. 8 Mpx - 3840 x 2160</li> </ul>	...

Recording speed adjustment	8 Mpx IP @ 1 ... 25 fps 8 Mpx @ 1 ... 7 fps 4K-N @ 1 ... 15 fps 6 Mpx @ 1 ... 10 fps 5 Mpx @ 1 ... 12 fps 4 Mpx @ 1 ... 15 fps 4M-N @ 1 ... 25 fps 3 Mpx @ 1 ... 15 fps 1080p @ 1 ... 25 fps 720p @ 1 ... 25 fps 960H @ 1 ... 25 fps for each channel	...
Operation modes	8 x AHD / HD-CVI / HD-TVI / CVBS / IP + 8 x IP	...
Recording modes	Manual, Sensor, Motion detection, Schedule	...
Supported hard drives	1 x 16 TB SATA	...
External storage devices backup	Save single frames and whole records from DVR drive to the USB drive	...
Searching and playback the records	Records searching: by time + timeline with record type. Playback: forward, fast, slow, step Advanced searching (to the one second accuracy)  Intelligent face search AI - simultaneous search in the archive of face recordings based on max 8 photos taking into account the similarity threshold (for each photo separately)	...
Network functions	Network Client Software and IE browser: live view, playback and backup of the records, partial configuration of the recorder parameters	...




Mobile phones support	Port no.: 37777 or access by a cloud (P2P) <ul style="list-style-type: none"> <li>• Android: Free application <a href="#">DMSS</a></li> <li>• iOS (iPhone): Free application <a href="#">DMSS</a></li> </ul> See how to configure the P2P function in Dahua recorders and how to enable the mobile application	...
Alarm inputs / outputs	8 / 3	...
PTZ control	IP Speed Dome Cameras Control compatible with coax PTZ HD-CVI RS-485 - PELCO-D/P	...
Motion Detection	Split the screen into zones : 22 x 18 motion zones	...

Main features	<ul style="list-style-type: none"> <li>• Cooperation with Dahua devices working in the concept of the Internet of Things (IoT),</li> <li>• POS - support the machines installed in the points of sales and displaying the date from them as overlaid text on selected channel window,</li> <li>• SMD PLUS - searching for an object classified as: human, motor vehicle,</li> <li>• Coax Audio/Alarm support,</li> <li>• Intelligent image analysis : crossing the line (tripwire), crossing the line (tripwire), abandoned/missing object, classification of people and vehicles</li> <li>• advanced face and vehicle recognition and search functions</li> <li>• Support for up to 10 face databases, including 20 000 face images</li> <li>• Detection of faces not included in the device database</li> <li>• Searching for faces in recordings based on max 8 selected photos with the ability to independently set the similarity threshold for each photo</li> </ul>	...
USB	<ul style="list-style-type: none"> <li>• 1 pcs USB 2.0</li> <li>• 1 pcs USB 3.0</li> </ul>	...
Mouse support	✓	...
IR remote controller in the set	—	...
Power supply	12 V DC / 2 A (power adapter included)	...
Color	Black	White
Weight	1.27 kg	0.002 kg
Dimensions	325 x 257 x 55 mm	30 x 20 mm
Supported languages	Polish, English, Bulgarian, Czech, Danish, Finnish, French, Greek, Spanish, Dutch, German, Norwegian, Portuguese, Russian, Romanian, Serbian, Swedish, Turkish, Ukrainian, Hungarian, Italian	...

DELTA-OPTI Monika Matysiak / VAT:PL5251295225 / 60-713 Poznań, ul. Graniczna 10  
 Tel:+48 61 864 69 60 / GSM:+48 607 60 11 66 / Fax:+48 61 864 69 65 / e-mail: info@delta.poznan.pl  
 Monday-Friday: 8.00-19.00 / Saturday: 8.00-14.00

Manufacturer / Brand	DAHUA	ORNO
Guarantee	3 years	2 years



DELTA-OPTI Monika Matysiak / VAT:PL5251295225 / 60-713 Poznań, ul. Graniczna 10  
Tel:+48 61 864 69 60 / GSM:+48 607 60 11 66 / Fax:+48 61 864 69 65 / e-mail: info@delta.poznan.pl  
Monday-Friday: 8.00-19.00 / Saturday: 8.00-14.00