



	AHD, HD-CVI, HD-TVI, CVBS, TCP/IP DVR XVR5108HS-I3(1T) 8 CHANNELS SSD 1TB WizSense DAHUA	AHD, HD-CVI, HD-TVI, CVBS, TCP/IP DVR BCS-L- XVR0801(6) 8 CHANNELS BCS Line
		
	497.14 CAD 497.14 CAD	329.67 CAD 329.67 CAD
Standard	AHD, HD-CVI, HD-TVI, CVBS, TCP/IP	AHD, HD-CVI, HD-TVI, CVBS, TCP/IP
Video inputs	8 pcs BNC	8 pcs BNC
Video outputs	<ul style="list-style-type: none"> • 1 pcs HDMI • 1 pcs VGA 	<ul style="list-style-type: none"> 1 pcs HDMI 1 pcs VGA
Audio inputs	<ul style="list-style-type: none"> • 1 pcs CINCH, • 8 pcs BNC Coaxial audio - Audio support via coaxial cable 	1 pcs CINCH
Audio outputs	1 pcs CINCH	1 pcs CINCH
Image compression method	AI Coding / H.265+ / H.265 / H.264+ / H.264	AI Coding / H.265+ / H.265 / H.264+ / H.264
Image records resolutions	<ul style="list-style-type: none"> • AHD / HD-CVI / HD-TVI : 5 Mpx - 2560 x 1944 px 1,2,3,4 CH only , 5M-N - 1296 x 1440 px , 4M-N - 1280 x 1440 px , 1080p - 1920 x 1080 px , 1080N - 960 x 1080 px , 720p - 1280 x 720 px , • CVBS : 960H - 960 x 576 px • IP : max. 6 Mpx - 3072 x 2048 px 	<ul style="list-style-type: none"> • AHD / HD-CVI / HD-TVI : 5 Mpx - 2560 x 1944 px 1,2,3,4 CH only , 5M-N - 1296 x 1440 px , 4M-N - 1280 x 1440 px , 1080p - 1920 x 1080 px , 1080N - 960 x 1080 px , 720p - 1280 x 720 px , • CVBS : 960H - 960 x 576 px • IP : max. 6 Mpx - 3072 x 2048 px
Recording speed adjustment	<ul style="list-style-type: none"> 6 Mpx IP @ 1 ... 25 fps 5 Mpx @ 1 ... 6 fps 1,2,3,4 CH only 5M-N @ 1 ... 12 fps 4M-N @ 1 ... 15 fps 1080p @ 1 ... 15 fps 1080N @ 1 ... 25 fps 720p @ 1 ... 25 fps 960H @ 1 ... 25 fps for each channel 	<ul style="list-style-type: none"> 6 Mpx IP @ 1 ... 25 fps 5 Mpx @ 1 ... 6 fps 1,2,3,4 CH only 5M-N @ 1 ... 12 fps 4M-N @ 1 ... 15 fps 1080p @ 1 ... 15 fps 1080N @ 1 ... 25 fps 720p @ 1 ... 25 fps 960H @ 1 ... 25 fps for each channel

Operation modes	8 x AHD / HD-CVI / HD-TVI / CVBS / IP + 4 x IP	8 x AHD / HD-CVI / HD-TVI / CVBS / IP + 4 IP
Recording modes	Manual, Motion Detection, Schedule	Manual, Motion Detection, Schedule
Supported hard drives	1 x 1 TB SSD - Built-in	1 x 16 TB SATA
External storage devices backup	Save single frames and whole records from DVR drive to the USB drive	Save single frames and whole records from DVR drive to the USB drive
Searching and playback the records	Records searching: by time + timeline with record type. Playback: forward, fast, slow, step Advanced searching (to the one second accuracy) Intelligent face search AI - simultaneous search in the archive of face recordings based on max 8 photos taking into account the similarity threshold (for each photo separately) 1, 4 or 9 channels synchronous playback, Smart Playback function	Records searching: by time + timeline with record type. Playback: forward, fast, slow, step Advanced searching (to the one second accuracy) 1/4/9 channel synchronous playback
Network interface	1 x RJ-45 - 10/100 Base-TX	1 x RJ-45 - 10/100 Base-TX
Network functions	Full support via network, Remote records copying, Web-Server built-in ONVIF 2.2.12	Network Client Software and IE browser: live view, playback and backup of the records, partial configuration of the recorder parameters , Web-Server built-in - 128 on-line users , ONVIF
Default IP address	DHCP or 192.168.1.108	...
Default admin user / password	admin / - The administrator password should be set at the first start	...

Mobile phones support	Port no.: 37777 or access by a cloud (P2P) <ul style="list-style-type: none"> • Android: Free application DMSS • iOS (iPhone): Free application DMSS See how to configure the P2P function in Dahua recorders and how to enable the mobile application	Port no.: 37777 or access by a cloud (P2P) <ul style="list-style-type: none"> • Android: Free application BCS Manager • iOS (iPhone): Free application BCS Manager
USB	2 pcs USB 2.0	2 x USB 2.0
Serial ports	RS-485	RS-485
Alarm inputs / outputs	—	—
PTZ control	IP Speed Dome Cameras Control compatible with coax PTZ HD-CVI RS-485 - PELCO-D/P	IP Speed Dome Cameras RS-485 - PELCO-D/P and others
Motion Detection	✓	Split the screen into zones : 22 x 18 motion zones
Intelligent image analysis	✓	✓

Main features	<ul style="list-style-type: none"> • Cooperation with Dahua devices working in the concept of the Internet of Things (IoT), • POS - support the machines installed in the points of sales and displaying the date from them as overlaid text on selected channel window, • SMD PLUS - searching for an object classified as: human, motor vehicle • Filtering of false alarms based on the recognition of persons and vehicles • Bi-directional audio streaming support • Coax Audio/Alarm support, • Intelligent image analysis : crossing the line (tripwire), intrusion, classification of people and vehicles • advanced face recognition and search functions, supports 6 types of facial attributes extraction • Support for up to 10 face databases, including 10 000 face images • Detection of faces not included in the device database • Searching for faces in recordings based on max 8 selected photos with the ability to independently set the similarity threshold for each photo 	<ul style="list-style-type: none"> • Intelligent image analysis : crossing the line (tripwire), intrusion - classification of people and vehicles • Smart motion detection (with recognizing people and vehicles) • face detection - supports 6 types of facial attributes extraction • Face recognition and analysis in real time (up to 8 photos per second) • Support for up to 10 face databases, including 10 000 face images • Cooperation with POS (Point of Sale) terminals • SMD PLUS - searching for an object classified as: human, motor vehicle • Privacy zones - max. 4
Mouse support	✓	✓
IR remote controller in the set	—	—
Power supply	12 V DC / 2 A (power adapter included)	12 V DC / 2 A (power adapter included)
Power consumption	max. 7 W - Recorder with HDD	max. 7 W (without HDD)
Color	Black	Black
Weight	0.97 kg	0.9 kg
Dimensions	260 x 238 x 48 mm	260 x 235 x 47 mm

Supported languages	Polish, English, Czech, Danish, Finnish, French, Greek, Spanish, Dutch, German, Portuguese, Russian, Romanian, Serbian, Slovak, Slovenian, Hungarian, Italian	Polish, English
Manufacturer / Brand	DAHUA	BCS Line
Guarantee	5 years	3 years



DELTA-OPTI Monika Matysiak / VAT:PL5251295225 / 60-713 Poznań, ul. Graniczna 10
 Tel:+48 61 864 69 60 / GSM:+48 607 60 11 66 / Fax:+48 61 864 69 65 / e-mail: info@delta.poznan.pl
 Monday-Friday: 8.00-19.00 / Saturday: 8.00-14.00