



	<a href="#">NVR NVR5864-EI 64 CHANNELS +eSATA DAHUA</a>	<a href="#">MECHANICAL TIMER OR- PRE-443 ORNO</a>
		
	23740.27 SEK 23740.27 SEK	61.50 SEK 61.50 SEK
Device type	...	Mechanical timer
Standard	TCP/IP	...
Maximal current	...	16 A
Supported resolutions	max. 32 Mpx	...
Maximal load	...	3680 W
Video outputs	2 pcs HDMI 4K 2 pcs VGA	...
Timing range	...	15 minutes ... 24 hours
The maximum countdown time	...	24 hours
Audio support	64 Channels - Audio from cameras	...
Main features	...	Time settings for switching electrical devices on and off
Audio inputs	1 pcs CINCH	...
Housing	...	Plastic
Audio outputs	2 pcs CINCH	...
Security class	...	IP20
Network interface	2 x RJ-45 10/100/1000 Base-TX	...
Socket type	...	2P+Z, E type
Image compression method	H.265+ / H.265 / H.264+ / H.264 / MJPEG	...
USB	2 pcs USB 2.0 2 pcs USB 3.0	...
Supported hard drives	8 x 16 TB SATA III + 1 x eSATA Possibility of operation the disks in RAID 0/1/5/6/10 array	...
Recording modes	Manual, Sensor, Motion detection, Schedule	...
Network protocols	HTTP, HTTPS, TCP/IP, IPv4/IPv6, RTSP, UDP, SNMP, NTP, DHCP, DNS, SMTP, UPnP, IP Filter, PPPoE, FTP, DDNS, Alarm Server, IP Search, Multicast, P2P, Auto Register, ONVIF 21.12	...
External storage devices backup	Backup to USB drive (pendrive, external drive)	...
Searching and playback the records	Records searching: by time and events type. Records playback: forward, backward, fast, slow Advanced searching (to the one second accuracy) max. 32 channel synchronous playback	...
Bitrate	max. 384 Mbps	...

DELTA-OPTI Monika Matysiak / VAT:PL5251295225 / 60-713 Poznań, ul. Graniczna 10  
Tel:+48 61 864 69 60 / GSM:+48 607 60 11 66 / Fax:+48 61 864 69 65 / e-mail: info@delta.poznan.pl  
Monday-Friday: 8.00-19.00 / Saturday: 8.00-14.00

Network functions	Full support via network, Remote records copying, Web-Server built-in max. 128 on-line users	...
Mobile phones support	Port no.: 37777 or access by a cloud (P2P) • Android: Free application <a href="#">DMSS</a> • iOS (iPhone): Free application <a href="#">DMSS</a>  See how to configure the P2P function in Dahua recorders and how to enable the mobile application	...
Default IP address	192.168.1.108	...
Default admin user / password	admin / - The administrator password should be set at the first start	...
Web browser access ports	80, 37777	...
PC client access ports	37777	...
Mobile client access ports	37777	...
RTSP URL	rtsp://admin:hasło@192.168.1.108:554/cam/realmonitor?channel=1&subtype=0 - Main stream rtsp://admin:hasło@192.168.1.108:554/cam/realmonitor?channel=1&subtype=1 - Sub stream	...
Alarm inputs / outputs	16 / 8	...
PTZ control	RS-485, PELCO-D/P IP Speed Dome Cameras	...
RS-232 interface	✓	...
Motion Detection	✓	...
Intelligent image analysis	✓	...
Mouse support	✓	...
IR remote controller in the set	—	...



Main features	<ul style="list-style-type: none"> <li>• Advanced peripheral protection functions: intrusion, crossing line with separate rules for vehicles and pedestrians,</li> <li>• Support for devices with the ANPR vehicle identification functions and face recognition,</li> <li>• Identification of the type of the observed object (human, vehicle),</li> <li>• Face recognition and analysis in real time (up to 16 photos per second) : <ul style="list-style-type: none"> <li>- Comparison of faces with images from the database</li> <li>- Face analysis: determination of sex, age and characteristic elements of appearance (glasses, facial hair, mask)</li> <li>- Real-time search of people on the basis of given side information in the range corresponding to features recognized by artificial intelligence of the device</li> <li>- Face bases can be used globally or locally for one video channel - depending on the need</li> <li>- In the base other than face photography, can also be stored such information as: name, sex, date of birth, nationality, address, ID number</li> </ul> </li> <li>• Recognition of people based on the characteristic elements of the outfit (type of clothes, clothes color, accessories)</li> <li>• Recognition of cars based on color, body type, license plate color and brand</li> <li>• Recognition of other vehicles not being cars</li> <li>• Intelligent object search based on a photo - the recorder allows to upload a picture of a person or vehicle to search for it on a camera recording</li> <li>• POS - support the machines installed in the points of sales and displaying the date from them as overlaid text on selected channel window</li> <li>• SMD PLUS - searching for an object classified as: human, motor vehicle, non-motor vehicle</li> </ul>	...
Power supply	100 ... 240 V AC @ 50 / 60 Hz	230 V AC, 50 Hz
Weight	6.35 kg	0.15 kg
Dimensions	440 x 458 x 89 mm - RACK 19", 2U	126 x 72 x 85 mm
Supported languages	Polish, English, Bulgarian, Czech, Danish, Finnish, French, Greek, Spanish, Dutch, German, Portuguese, Russian, Romanian, Slovenian, Serbian, Swedish, Hungarian, Italian	...
Manufacturer / Brand	DAHUA	ORNO
Guarantee	3 years	2 years

