





	<a href="#">ANGULAR PLUG LE-50175</a> 230 V 16 A LEGRAND	<a href="#">STRAIGHT PLUG LE-50310</a> 230 V 2.5 A LEGRAND	<a href="#">STRAIGHT PLUG LE-50181</a> 230 V 16 A LEGRAND	<a href="#">AHD, HD-CVI, HD-TVI, CVBS, TCP/IP DVR BCS-L-XVR0401-4KE-IV 4 CHANNELS BCS Line</a>
				
	70.62 NOK 70.62 NOK	27.79 NOK 27.79 NOK	30.49 NOK 30.49 NOK	2637.58 NOK 2637.58 NOK
Rated voltage	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	...
Maximal current load	16 A	2.5 A	16 A	...
Grounding	✓	—	—	...
Electrical cable	max. 3 x 1.5 mm <sup>2</sup>	max. 2 x 0.75 mm <sup>2</sup>	max. 2 x 1.5 mm <sup>2</sup>	...
Standard	...	...	...	AHD, HD-CVI, HD-TVI, CVBS, TCP/IP
Cable terminals	screw terminals	screw terminals	screw terminals	...
Video inputs	...	...	...	4 pcs BNC
Video outputs	...	...	...	1 pcs HDMI 4K 1 pcs VGA
Plug type	CEE 7/7	CEE 7/16, C type	CEE 7/17	...
Audio inputs	...	...	...	1 pcs CINCH 4 Channels - Audio support via coaxial cable, HD-CVI only
Audio outputs	...	...	...	1 pcs CINCH
Image compression method	...	...	...	AI Coding / H.265+ / H.265 / H.264+ / H.264
Image records resolutions	...	...	...	<ul style="list-style-type: none"> <li>• AHD / HD-CVI / HD-TVI : 8 Mpx - 3840 x 2160 , 4K-N - 1920 x 2160 , 6 Mpx - 2880 x 1920 - HD-CVI only , 5 Mpx - 2592 x 1944 , 4 Mpx - 2560 x 1440 , 4M-N - 1280 x 1440 , 3 Mpx - 2048 x 1536 - AHD / HD-TVI only , 1080p - 1920 x 1080 , 720p - 1280 x 720</li> <li>• CVBS : 960H - 960 x 576</li> <li>• IP : max. 8 Mpx - 3840 x 2160</li> </ul>

Recording speed adjustment	...	...	...	8 Mpx IP @ 1 ... 25 fps 8 Mpx @ 1 ... 7 fps 4K-N @ 1 ... 15 fps 6 Mpx @ 1 ... 10 fps 5 Mpx @ 1 ... 12 fps 4 Mpx @ 1 ... 15 fps 4M-N @ 1 ... 25 fps 3 Mpx @ 1 ... 15 fps 1080p @ 1 ... 25 fps 720p @ 1 ... 25 fps 960H @ 1 ... 25 fps for each channel
Operation modes	...	...	...	4 x AHD / HD-CVI / HD-TVI / CVBS / IP + 4 x IP
Recording modes	...	...	...	Manual, Motion Detection, Schedule
Supported hard drives	...	...	...	1 x 16 TB SATA
External storage devices backup	...	...	...	Save single frames and whole records from DVR drive to the USB drive
Searching and playback the records	...	...	...	Records searching: by time + timeline with record type. Playback: forward, fast, slow, step Advanced searching (to the one second accuracy) All channels synchronous playback, Smart Search function 1/4 channel synchronous playback
Network functions	...	...	...	Full support via network, Remote records copying, Web-Server built-in max. 128 on-line users
USB	...	...	...	2 x USB 2.0
Mobile phones support	...	...	...	Port no.: 37777 or access by a cloud (P2P) • Android: Free application <a href="#">BCS Manager</a> • iOS (iPhone): Free application <a href="#">BCS Manager</a>
Alarm inputs / outputs	...	...	...	—
PTZ control	...	...	...	IP Speed Dome Cameras Control compatible with coax PTZ HD-CVI RS-485 - PELCO-D/P
Motion Detection	...	...	...	Split the screen into zones : 22 x 18 motion zones

Main features	...	...	...	<ul style="list-style-type: none"> <li>• Privacy zones - max. 4</li> <li>• SMD PLUS - searching for an object classified as: human, motor vehicle,</li> <li>• POS - support the machines installed in the points of sales and displaying the date from them as overlaid text on selected channel window,</li> <li>• Intelligent image analysis : crossing the line (tripwire), intrusion - classification of people and vehicles, face detection</li> </ul>
Mouse support	...	...	...	✓
IR remote controller in the set	...	...	...	—
Power supply	...	...	...	12 V DC / 2 A (power adapter included)
Color	White	White	Black	Black
Weight	0.056 kg	0.015 kg	0.026 kg	0.9 kg
Dimensions	43 x 86 x 87 mm	62 x 36 x 14 mm	Ø 37 x 82 mm	260 x 240 x 48 mm, RACK 19", 1U
Supported languages	...	...	...	Polish, English
Manufacturer / Brand	LEGRAND	LEGRAND	LEGRAND	BCS Line
Guarantee	2 years	2 years	2 years	3 years