



	IP SPEED DOME CAMERA OUTDOOR SD8A440-HNF-PA - 4 Mpx, 5.6 ... 223 mm DAHUA	MICROPHONE CABLE KM-4/M
		
	4445.67 EUR 4445.67 EUR	0.37 EUR 0.37 EUR
Standard	TCP/IP	...
Sensor	1/1.8 " STARVIS™ CMOS	...
Matrix size	4 Mpx	...
In section	...	100 m . Price for 1m when buying a whole roll
Inner conductor	...	Cu Stranded wire : 20 x 0.12 mm
Shield	...	PVC
Braid	...	Cu Stranded wire : 32 x 0.1 mm
Outer coating	...	Ø 4.0 mm PVC
Coating color	...	Black
Resolution	2560 x 1440 - 4 Mpx , 1920 x 1080 - 1080p , 1280 x 960 - 1.3 Mpx , 1280 x 720 - 720p	...
Scanning system	Progressive	...
Lens	5.6 ... 223 mm	...
View angle	61.8 ° ... 2.2 ° (manufacturer data)	...
Optical zoom	x 40	...
Digital zoom	x 16	...
Range of IR illumination	500 m	...
S/N ratio	≥ 55 dB (AGC off)	...
Video output	1 Vpp / 75 Ω	...
Preset rotation speed	• 240 °/s (horizontal) • 120 °/s (vertical)	...
Rotation speed (manual control)	• 0.1 °/s ... 240 °/s (horizontal) • 0.1 °/s ... 100 °/s (vertical)	...
Horizontal rotation range	360 ° continuous	...
Vertical rotation range	-30 ° ... 90 °	...
RS-485 interface	✓	...
Protocols	Pelco-D, Pelco-P, DH-SD Auto detection	...
Number of presets	300	...
Horizontal scan	✓	...
Route settings	8	...
Image compression method	H.265+ / H.265 / H.264+ / H.264 / MJPEG	...
Alarm inputs / outputs	7 / 2	...
Audio	• 1 Audio input • 1 Audio output • Bi-directional audio streaming support	...

Main stream frame rate	1 ... 25 fps - 4 Mpx	...
Network interface	10/100 Base-T (RJ-45)	...
Network protocols	IPv4/IPv6, HTTP, HTTPS, IEEE 802.1x, QoS, FTP, SMTP, UPnP, SNMP, DNS, DDNS, NTP, RTSP, RTP, TCP/IP, UDP, IGMP, ICMP, DHCP, PPPoE, ARP, RTCP, RTMP	...
WEB Server	Built-in, NVR compliance	...
Max. number of on-line users	20	...
ONVIF	✓	...
Mobile phones support	Port no.: 37777 or access by a cloud (P2P) • Android: Free application DMSS • iOS (iPhone): Free application DMSS	...
Default IP address	192.168.1.108	...
Default admin user / password	admin / -	...
Web browser access ports	80, 37777	...
PC client access ports	37777	...
Mobile client access ports	37777	...
Port ONVIF	80	...
RTSP URL	rtsp://admin:hasło@192.168.1.108:554/cam/realmonitor?channel=1&subtype=0 - Main stream rtsp://admin:hasło@192.168.1.108:554/cam/realmonitor?channel=1&subtype=1 - Sub stream	...
Memory card slot	Micro SD memory cards up to 512GB support (possible local recording)	...
Main features	<ul style="list-style-type: none"> • WDR - 140 dB - Wide Dynamic Range • 2D-DNR, 3D-DNR - Digital Noise Reduction • F-DNR (Defog) - Reduction of image noise caused by precipitation • BLC/HLC - Back Light / High Light Compensation • ROI - improve the quality of selected parts of image • Day/Night mode (color/b&w/auto) • ICR - Movable InfraRed filter • WB - White Balance (ATW/AWB/manual/indoor/outdoor) • Motion Detection • Configurable Privacy Zones - 24 • AGC - Automatic Gain Control • Sharpness - sharper image outlines • Lens wiper remotely controlled via TCP/IP • IVS analysis : Intelligent Object Tracking, crossing the line (tripwire), intrusion, abandoned/missing object, scene changing, Face recognition, metadata support, classification of people and vehicles, Filtering of false alarms based on the recognition of persons and vehicles (tripwire, intrusion) 	...
Power supply	<ul style="list-style-type: none"> • Hi-PoE, • 36 V DC / 2.23 A (power adapter included) 	...
Power consumption	<ul style="list-style-type: none"> • 30 W • 48 W (LED IR) 	...
Housing	Speed Dome Metal	...
Color	White	...
Vandal-proof	—	...
"Index of Protection"	IP67	...
Operation temp	-40 °C ... 70 °C	...
Weight	10 kg (without bracket)	...



DELTA-OPTI Monika Matysiak / VAT:PL5251295225 / 60-713 Poznań, ul. Graniczna 10
Tel:+48 61 864 69 60 / GSM:+48 607 60 11 66 / Fax:+48 61 864 69 65 / e-mail: info@delta.poznan.pl
Monday-Friday: 8.00-19.00 / Saturday: 8.00-14.00

Dimensions	Ø 262 x 416 mm (without bracket)	...
Supported languages	English	...
Manufacturer / Brand	DAHUA	...
Guarantee	5 years	2 years



DELTA-OPTI Monika Matysiak / VAT:PL5251295225 / 60-713 Poznań, ul. Graniczna 10
Tel:+48 61 864 69 60 / GSM:+48 607 60 11 66 / Fax:+48 61 864 69 65 / e-mail: info@delta.poznan.pl
Monday-Friday: 8.00-19.00 / Saturday: 8.00-14.00