




	<a href="#">SOFTWARE LICENSE LIC-VISO-BASE-ST ROGER</a>	<a href="#">POE SWITCH / EXTENDER PFT1310 3-PORT</a>
		
	231.42 USD 231.42 USD	20.76 USD 20.76 USD
License	VISO-BASE-ST	...
Number of served transitions	32 ( max. 128 )	...
Number of users	1000	...
LAN ports	...	<ul style="list-style-type: none"> <li>• 1 x RJ45 10/100 Base-T + power input : PoE (802.3af/at),</li> <li>• 2 x RJ45 10/100 Base-T + PoE (802.3af)</li> </ul>
Operator	1 ( max. 3 )	...
Management	...	—
Communication service	1 ( max. 3 )	...
LED diodes	...	LAN, PoE
Objects on maps	250	...
Transmission speed	...	10 / 100 Mbps
Maximal output power	...	<ul style="list-style-type: none"> <li>• 15.4 W @ port PoE - First device</li> <li>• 3 W @ port PoE - Second device in cascade</li> </ul>
Main features	...	<ul style="list-style-type: none"> <li>• Possibility to connecting in cascade</li> <li>• The device can function as a LAN network and PoE power extender</li> </ul>
Power consumption	...	0.3 W
Range	...	100 m - Input 100 m - Output
Protections	...	Overvoltage
Housing	...	Plastic, DIN, TS-35 rail mounting
Power supply	...	PoE (802.3af/at)
Operation temp. / Relative humidity	...	-30 ... 65 °C / 10 ... 90 %
Weight	...	0.05 kg
Dimensions	...	79 x 52 x 23 mm
Guarantee	...	2 years

Main features	<ul style="list-style-type: none"> <li>• MSSQL database</li> <li>• work in distributed systems</li> <li>• multi-station work</li> <li>• encrypted communication with system devices and servers</li> <li>• Possibility to define operator accounts for management of particular groups of employees</li> <li>• operators actions recorded in log</li> <li>• user groups, persons, visitors, and assets management</li> <li>• monitoring of user and asset relocations</li> <li>• user time attendance reporting for freely configurable system areas</li> <li>• current system operation monitoring</li> <li>• visualization of security systems from the map level</li> <li>• monitoring of selected access doors including automatic display of associated video stream</li> <li>• hotel services signalization monitoring</li> <li>• event reporting for external Time&amp;Attendance systems</li> <li>• configurable Time&amp;Attendance modes</li> <li>• monitoring and control of external objects by means of logical automation nodes</li> <li>• configurable event types for selected logical automation nodes</li> <li>• Remote control and management</li> <li>• remote access authorization by system operators</li> <li>• automatic system reactions for selected events</li> <li>• defining and transmitting NFC, BLE mobile IDs</li> <li>• alert monitoring by system operators</li> <li>• alerts reported by data transmission</li> <li>• alerts reported by emails</li> <li>• integration with CCTV, IDS systems of selected manufacturers</li> <li>• integration with the RKDS key circulation monitoring system</li> <li>• support for ONVIF cameras</li> <li>• operation with administrator reader</li> <li>• Cooperation with POS (Point of Sale) terminals</li> <li>• support for assets renting and monitoring</li> <li>• configurable asset renting authorizations</li> <li>• designing and printing templates on proximity cards</li> <li>• wizards for quick system configuration</li> <li>• wizards for user and visitor enrolment and management</li> </ul>	...
---------------	---	-----



Supported operating systems	Windows	...
Supported languages	English, Polish	...
Manufacturer / Brand	ROGER	...



DELTA-OPTI Monika Matysiak / VAT:PL5251295225 / 60-713 Poznań, ul. Graniczna 10  
Tel:+48 61 864 69 60 / GSM:+48 607 60 11 66 / Fax:+48 61 864 69 65 / e-mail: info@delta.poznan.pl  
Monday-Friday: 8.00-19.00 / Saturday: 8.00-14.00