



	CRIMPING TOOL ZAC/PZ-0.25-2.5	IP HYBRID THERMAL IMAGING CAMERA TPC-BF1241-B3F4-S2 3.5 mm - 960p, 4 mm - 4 Mpx DAHUA
		
	3.94 GBP 3.94 GBP	925.72 GBP 925.72 GBP
Material	Metal / PET	...
Pixel pitch	...	12 µm
Application	Crimping ferrules - 0.25 / 0.5 / 1.0 / 1.5 / 2.0 / 2.5 Non-insulated ferrules type H and insulated ferrules type HI	...
Main features	High durability tool, made from high quality materials	...
Thermal sensitivity (NETD)	...	< 50 mK @ F1.0
Spectral range	...	8 µm ... 14 µm
Color palettes	...	18
Digital zoom	...	x 16
Sensor	...	Uncooled VOx microbolometer 1/2.7 " Progressive Scan CMOS
Matrix size	...	256 x 192 px 4 Mpx
Scanning system	...	Progressive
Lens	...	3.5 mm 4 mm
View angle	...	51 ° 71 °
Min. illumination	...	0.05 Lux (color) 0.005 Lux (B/W)
Range of IR illumination	...	30 m
Resolution	...	1280 x 960 - 960p , 1024 x 768 px , 640 x 480 px , 256 x 192 px 2336 x 1752 - 4 Mpx 1920 x 1080 - 1080p 1280 x 720 - 720p 704 x 576 - D1
Standard	...	TCP/IP
Video output	...	—

DELTA-OPTI Monika Matysiak / VAT:PL5251295225 / 60-713 Poznań, ul. Graniczna 10
Tel:+48 61 864 69 60 / GSM:+48 607 60 11 66 / Fax:+48 61 864 69 65 / e-mail: info@delta.poznan.pl
Monday-Friday: 8.00-19.00 / Saturday: 8.00-14.00

RS-485 interface	...	✓
Memory card slot	...	Micro SD memory cards up to 256GB support (possible local recording)
Image compression method	...	H.265 / H.264 / MJPEG
Alarm inputs / outputs	...	1 / 1
Audio	...	<ul style="list-style-type: none"> • External microphone input • Audio output • Bi-directional audio streaming support • Built-in alarm siren
Main stream frame rate	...	25 fps @ 1280 x 960 25 fps @ 4 Mpx
Network interface	...	10/100 Base-T (RJ-45)
Network protocols	...	HTTP, HTTPS, TCP, ARP, RTSP, RTP, UDP, RTCP, SMTP, FTP, DHCP, DNS, DDNS, PPPoE, IPv4/IPv6, SNMP, QoS, UPnP, NTP
WEB Server	...	Built-in
Max. number of on-line users	...	10
ONVIF	...	20.12
Default IP address	...	192.168.1.108
Default admin user / password	...	admin / - The administrator password should be set at the first start
Web browser access ports	...	80, 37777
PC client access ports	...	37777
Port ONVIF	...	80
RTSP URL	...	rtsp://admin:hasło@192.168.1.108:554/cam/realmonitor?channel=1&subtype=0 - Main stream rtsp://admin:hasło@192.168.1.108:554/cam/realmonitor?channel=1&subtype=1 - Sub stream
Main features	...	<ul style="list-style-type: none"> • The possibility of overlapping the image from a thermal imaging camera in a classic image • D-WDR - Wide Dynamic Range • ROI - improve the quality of selected parts of image • 2D-DNR, 3D-DNR - Digital Noise Reduction • BLC/HLC - Back Light / High Light Compensation • ICR - Movable InfraRed filter • Day/Night mode (color/b&w/auto) • Auto White Balance • AGC - Automatic Gain Control • Sharpness - sharper image outlines • Motion Detection • Detection of people smoking cigarettes • Detection of telephone conversations • Track the hottest or coldest spots in an image • IVS analysis : crossing the line (tripwire), intrusion, fire detection, classification of people and vehicles - The IVS analysis functions can be defined independently for the thermal imaging camera and the vision camera
Power supply	...	<ul style="list-style-type: none"> • PoE (802.3af), • 12 V DC / 1.2 A
Power consumption	...	≤ 14 W



DELTA-OPTI Monika Matysiak / VAT:PL5251295225 / 60-713 Poznań, ul. Graniczna 10
Tel:+48 61 864 69 60 / GSM:+48 607 60 11 66 / Fax:+48 61 864 69 65 / e-mail: info@delta.poznan.pl
Monday-Friday: 8.00-19.00 / Saturday: 8.00-14.00

Housing	...	Compact - Metal
Color	...	White
"Index of Protection"	...	IP67
Operation temp	...	-30 °C ... 50 °C
Dimensions	146 x 53 x 25 mm	206 x 91 x 90 mm
Weight	0.16 kg	0.82 kg
Supported languages	...	Polish, English, Czech, French, Spanish, Dutch, German, Portuguese, Russian, Turkish, Italian
Manufacturer / Brand	...	DAHUA
Guarantee	2 years	3 years



DELTA-OPTI Monika Matysiak / VAT:PL5251295225 / 60-713 Poznań, ul. Graniczna 10
 Tel:+48 61 864 69 60 / GSM:+48 607 60 11 66 / Fax:+48 61 864 69 65 / e-mail: info@delta.poznan.pl
 Monday-Friday: 8.00-19.00 / Saturday: 8.00-14.00