



	<a href="#">CABLE YTDY-10X0.5</a>	<a href="#">NVR NVR4432-EI 32 CHANNELS WizSense DAHUA</a>
		
	0.30 GBP 0.30 GBP	715.51 GBP 715.51 GBP
Standard	...	TCP/IP
Supported resolutions	...	max. 16 Mpx - 4608 x 3472 px
In section	<b>100 m . Price for 1m when buying a whole roll</b>	...
Video outputs	...	1 pcs HDMI 4K 1 pcs VGA
Inner conductor	10 x Ø 0.5 mm Cu Wire	...
Audio support	...	<ul style="list-style-type: none"> <li>• 32 Channels - Audio from cameras</li> <li>• Bi-directional audio streaming support</li> </ul>
Outer coating	PVC	...
Audio inputs	...	1 pcs CINCH
Coating color	White	...
Audio outputs	...	1 pcs CINCH
Application	<ul style="list-style-type: none"> <li>• Alarm installation</li> <li>• Interphone installation</li> </ul>	...
Image compression method	...	Smart H.265+ / H.265 / Smart H.264+ / H.264 / MJPEG
Bitrate	...	max. 256 Mbps
Supported hard drives	...	4 x 16 TB SATA
Recording modes	...	Manual, Sensor, Motion detection, Schedule
External storage devices backup	...	Backup to USB drive (pendrive, external drive)
Searching and playback the records	...	<ul style="list-style-type: none"> <li>• Records searching: by time and events type. Records playback: forward, backward, fast, slow</li> <li>• Advanced searching (to the one second accuracy)</li> <li>• Smart Playback function</li> <li>• Records playback from max. 16 channels in the same time @ 1080p (without AI)</li> <li>• Records playback from max. 12 channels in the same time @ 1080p (AI)</li> </ul>
Network interface	...	2 x RJ-45 10/100/1000 Base-TX
Network functions	...	Full support via network, Remote records copying, Web-Server built-in
Network protocols	...	HTTP, HTTPS, TCP/IP, IPv4/IPv6, UPnP, SNMP, UDP, SMTP, NTP, DHCP, DNS, IP Filter, PPPoE, DDNS, FTP, Alarm Server, IP Search, P2P, Auto Register
ONVIF	...	22.06
Default IP address	...	192.168.1.108
Default admin user / password	...	admin / - The administrator password should be set at the first start

Mobile phones support	...	<p>Port no.: 37777 or access by a cloud (P2P)</p> <ul style="list-style-type: none"> <li>• Android: Free application <a href="#">DMSS</a></li> <li>• iOS (iPhone): Free application <a href="#">DMSS</a></li> </ul> <p>See how to configure the P2P function in Dahua recorders and how to enable the mobile application</p>
Web browser access ports	...	80, 37777
PC client access ports	...	37777
Mobile client access ports	...	37777
RTSP URL	...	<ul style="list-style-type: none"> <li>• rtsp://admin:haslo@192.168.1.108:554/cam/realmonitor?channel=1&amp;subtype=0 - Main stream</li> <li>• rtsp://admin:haslo@192.168.1.108:554/cam/realmonitor?channel=1&amp;subtype=1 - Sub stream</li> </ul>
USB	...	<ul style="list-style-type: none"> <li>• 1 pcs USB 2.0</li> <li>• 1 pcs USB 3.0</li> </ul>
Serial ports	...	RS-485, RS-232
Alarm inputs / outputs	...	16 / 4
PTZ control	...	<ul style="list-style-type: none"> <li>• IP Speed Dome Cameras</li> <li>• RS-485 - PELCO-D/P and others</li> </ul>
Motion Detection	...	✓
Intelligent image analysis	...	✓
Main features	...	<ul style="list-style-type: none"> <li>• Intelligent image analysis : crossing the line (tripwire), intrusion, scene changing, face detection</li> <li>• SMD PLUS - searching for an object classified as: human, motor vehicle</li> <li>• Filtering of false alarms based on the recognition of persons and vehicles</li> <li>• Quick Pick - AI technology enabling, together with the recorder, quick identification of interesting objects (people/vehicles) based on an artificial intelligence algorithm. It allows to extract and compare the colors of clothes and vehicles</li> <li>• Face recognition</li> <li>• Face analysis: determination of sex, age and characteristic elements of appearance (glasses, facial hair, mask)</li> <li>• Support for up to 10 face databases, including 20 000 face images</li> <li>• In the base other than face photography, can also be stored such information as: name, sex, date of birth, nationality, address, ID number</li> <li>• Privacy zones</li> </ul> <p>Functions implemented in cooperation between the recorder and cameras that support these functions :</p> <ul style="list-style-type: none"> <li>• ANPR</li> <li>• Authorized and unauthorized license plate lists: up to 20 000 records</li> <li>• people counting</li> <li>• heat map</li> </ul>
Mouse support	...	✓
IR remote controller in the set	...	—
Power supply	...	100 ... 240 V AC @ 50 / 60 Hz



Power consumption	...	max. 10 W (without HDD)
Operation temp	...	-10 °C ... 55 °C
Weight	...	4.33 kg
Dimensions	...	440 x 415 x 76 mm
Supported languages	...	Polish, English, Bulgarian, Czech, Finnish, Greek, Romanian, Serbian, Slovenian, Hungarian
Manufacturer / Brand	...	DAHUA
Guarantee	2 years	3 years



DELTA-OPTI Monika Matysiak / VAT:PL5251295225 / 60-713 Poznań, ul. Graniczna 10  
 Tel:+48 61 864 69 60 / GSM:+48 607 60 11 66 / Fax:+48 61 864 69 65 / e-mail: info@delta.poznan.pl  
 Monday-Friday: 8.00-19.00 / Saturday: 8.00-14.00