





	ACCESS POINT 4G LTE +ROUTER CUDY-LT500D 2.4 GHz, 5 GHz, 867 Mbps + 300 Mbps	UNIVERSAL METER STC-23 DVB-T/T2 DVB-S/S2 DVB-C Spacetronek	MONITORS DESK MOUNT MC-691 MACLEAN	BLUETOOTH 5.3+EDR USB ADAPTER B105B UNITEK
				
	65.80 EUR 65.80 EUR	108.57 EUR 108.57 EUR	60.18 EUR 60.18 EUR	6.46 EUR 6.46 EUR
Mounting standard	VESA 75, VESA 100	...
Screen size range	13 " ... 27 "	...
Output and input	...	1 pcs F socket, 1 pcs IEC socket, 1 pcs mini USB, 1 pcs 2.1/5.5 mm socket
Bearing capacity	8 kg	...
Display	...	2.4 " TFT LCD
Color	Black	...
Supported standards	Bluetooth 5.3, 5.1, 5.0, 4.2, 4.0
Tilt adjustment	-45 ° ... 45 °	...
Horizontal rotation	180 °	...
Rotation in the plane of the screen	360 °	...
Radio communication range (at open area)	< 20 m
Mount tube diameter	Ø 35 mm	...
Interface	USB 2.0
Drivers	Plug and Play - Windows 8.1 / 10 / 11
Frequency range	<ul style="list-style-type: none"> • Wi-Fi : 2.4 GHz, 5 GHz, • LTE : 2600 MHz, 2500 MHz, 2300 MHz, 2100 MHz, 1800 MHz, 900 MHz, 850 MHz, 800 MHz, 700 MHz 	<ul style="list-style-type: none"> • 42 MHz ... 1005 MHz - DVB-T / DVB-T2 / DVB-C, • 950 MHz ... 2150 MHz - DVB-S / DVB-S2
Signal level	...	-20 ... -80 dBm
LNB power supply	...	13 / 18 V
Switching between bandwidths	...	0 / 22 kHz
DiSEqC	...	DiSEqC 1.0, 1.1, 1.2, USALS systems support
Antenna type	<ul style="list-style-type: none"> • 2 x Omnidirectional antenna Wi-Fi, Integrated, 5 dBi, • 2 x Omnidirectional antenna 4G LTE, 5 dBi / SMA connector for connecting an external antenna
Standards	IEEE 802.11 a/b/g/n/ac
Antenna powering	...	5 / 12 V

Baud rates	<ul style="list-style-type: none"> • Wi-Fi : 867 Mbps + 300 Mbps, • LTE : 150 Mbps / 50 Mbps
LAN ports	1 x 10/100 Mbps - Uplink / LAN 3 x 10/100 Mbps - LAN
LED indicators	Power, INTERNET, LTE, 4 x Ethernet
SIM socket	1 x nano SIM
Video signal test	...	—
DDNS	✓
Programming and firmware upgrade	...	via micro USB port
DHCP server	✓
Firmware update	✓
Protections	WEP, WPA/WPA2, WPA-PSK/WPA2-PSK
Battery power supply	...	<ul style="list-style-type: none"> • Li-Ion battery 7.4 V / 2000 mAh • 12 V / 1 A (power adapter included)
Management interface	Web browser
Transmitter power	< 20 dBm
Main features	<ul style="list-style-type: none"> • Built-in 4-port switch • WPS button • The WPS function allows to easy establish an encrypted connection • RESET button • VPN networks: OpenVPN, WireGuard, IPSec, PPTP, L2TP, Zerotier VPN • DNS - Cloudflare, NextDNS, Google • Dynamic DNS • SMS personal messaging • Guest Network - a separate and secure network for guests • Watchdog 4G function • Wireless Network Schedule • WMM (Wi-Fi Multimedia) • Static / dynamic routing • DHCP client/server support, address reservation • NAT network firewall, Port forwarding, UPnP, DMZ • Access control • Remote management • IPv6 compliance • 4G bands lock 	<ul style="list-style-type: none"> • Measurement of signal strength and quality • Signal indicator : LED display / Beep signal • Measurement of BER, MER • Spectrum measurement mode • LNB overvoltage protection • LNB indicator and short-circuit protection • Support for a satellite dish motor • UNICABLE technology support • Signal lock audible notification • Clear graphical interface • OSD menu full in Polish • Car charger included in the kit • Long standby time • Low power consumption • Compass • Flashlight built-in • Illuminated buttons • Anti-shock silicone case 	...	<p>BLE Technology - Bluetooth Low Energy technology for energy-saving wireless connectivity</p> <p>EDR (Enhanced Data Rate) technology - allows to increase data transfer speeds up to 3 Mbps while maintaining low power consumption</p>
Supported languages	...	Polish, English, Spanish, Portuguese, Russian, French

Power supply	12 V DC / 1 A (power adapter included)
Weight	0.316 kg	0.3 kg	6 kg	...
Dimensions	242 x 175 x 38 mm	170 x 93 x 42 mm	1330 x 550 x 83 mm	30 x 16 x 7.1 mm
Manufacturer / Brand	CUDY	Spacetronek	MACLEAN	UNITEK
Guarantee	2 years	2 years	2 years	2 years



DELTA-OPTI Monika Matysiak / VAT:PL5251295225 / 60-713 Poznań, ul. Graniczna 10
 Tel:+48 61 864 69 60 / GSM:+48 607 60 11 66 / Fax:+48 61 864 69 65 / e-mail: info@delta.poznan.pl
 Monday-Friday: 8.00-19.00 / Saturday: 8.00-14.00