




	<a href="#">TOOL BOX KHV40P</a>	<a href="#">ISOPROPYL ALCOHOL KONTAKT-IPA-PLUS/1000 METAL CANISTER 1000 ml AG TERMOPASTY</a>	<a href="#">AHD, HD-CVI, HD-TVI, CVBS, TCP/IP DVR BCS-B- XVR0401(2.0) 4 CHANNELS BCS BASIC</a>
			
	8.05 EUR 8.05 EUR	6.70 EUR 6.70 EUR	63.32 EUR 63.32 EUR
Material	Plastic - mixture of increased strength polymers	...	...
Package	...	Metal canister 1000 ml	...
Application	...	Ideal for removing dirt from optical components	...
Standard	...	...	AHD, HD-CVI, HD-TVI, CVBS, TCP/IP
Video inputs	...	...	4 pcs BNC
Video outputs	...	...	1 pcs HDMI 1 pcs VGA
Audio inputs	...	...	• 1 pcs CINCH, • 4 - Audio support via coaxial cable
Main features	<ul style="list-style-type: none"> <li>• High-strength body,</li> <li>• Ergonomic handle,</li> <li>• Protective foam inside to protect tools,</li> <li>• Capacity : 10 kg,</li> <li>• 2 fasteners on the front to prevent accidental opening</li> </ul>	...	...
Audio outputs	...	...	1 pcs CINCH
Image compression method	...	...	H.265 / H.264
External dimensions	384 x 335 x 144 mm	...	...
Internal dimensions	365 x 245 x 110 mm	...	...

Image records resolutions	...	...	<ul style="list-style-type: none"> <li>• AHD / HD-TVI : 5M-N - 1296 x 1944 - For cameras 12 fps ,</li> <li>• AHD / HD-CVI / HD-TVI : 5M-N - 1296 x 1944 - For cameras 20 fps 1 CH only , 4M-N - 1280 x 1440 - For cameras 15 fps, 30 fps 1 CH only , 1080p - 1920 x 1080 , 720p - 1280 x 720</li> <li>• CVBS : 960H - 960 x 576 ,</li> <li>• IP : max. 4 Mpx - 2560 x 1440</li> </ul>
Recording speed adjustment	...	...	4 Mpx IP @ 1 ... 25 fps , 5M-N @ 1 ... 12 fps , 4M-N @ 1 ... 15 fps , 1080p @ 1 ... 15 fps , 720p @ 1 ... 30 fps , 960H @ 1 ... 30 fps for each channel
Operation modes	...	...	4 x AHD / HD-CVI / HD-TVI / CVBS / IP + 2 x IP
Recording modes	...	...	Manual, Motion Detection, Schedule
Supported hard drives	...	...	1 x 6 TB SATA
External storage devices backup	...	...	Save single frames and whole records from DVR drive to the USB drive
Searching and playback the records	...	...	Records searching: by time + timeline with record type. Playback: forward, fast, slow, step Advanced searching (to the one second accuracy) 1/4 channel synchronous playback
Network interface	...	...	1 x RJ-45 10/100 Base-TX
Network functions	...	...	Full support via network, Remote records copying, Web-Server built-in max. 128 on-line users

Mobile phones support	...	...	Port no.: 80 or access by a cloud (P2P) • Android: Free application <a href="#">BCS BASIC 2.0</a> • iOS (iPhone): Free application <a href="#">BCS BASIC 2.0</a>
USB	...	...	2 x USB 2.0
Alarm inputs / outputs	...	...	—
PTZ control	...	...	IP Speed Dome Cameras
Motion Detection	...	...	✓
Mouse support	...	...	✓
IR remote controller in the set	...	...	—
Power supply	...	...	12 V DC / 2 A (power adapter included)
Power consumption	...	...	≤ 8 W (without HDD)
Color	Black	...	Black
Weight	0.95 kg	0.92 kg	0.84 kg
Dimensions	...	199 x 116 x 62 mm	255 x 260 x 46 mm
Supported languages	...	...	English, Czech, French, Spanish, Dutch, German, Polish, Portuguese, Slovak, Italian
Manufacturer / Brand	...	AG TERMOPASTY	BCS BASIC
Guarantee	2 years	...	3 years