


	INDOOR PANEL DS-KH6320Y-WTE2 Hikvision	EXPANSION PLUG KW-8/4X60 KLIMAS
		
	254.81 EUR 254.81 EUR	0.09 EUR 0.09 EUR
Compatibility	HIKVISION 2-wire - Y series	...
Material	...	<ul style="list-style-type: none"> • Expansion plug, Polypropylene • Screw, Steel galvanized
Shield	7 " - capacitive touch screen	...
Drilling diameter	...	8 mm
Resolution	1024 x 600	...
Expansion plug length	...	40 mm
Internal memory	128 MB (built-in)	...
Screw dimensions	...	Ø 4 x 60 mm, PZ-2
Application	...	<ul style="list-style-type: none"> • Concrete • Solid clay brick • Solid sand-lime brick

Main features	<ul style="list-style-type: none"> • Wi-Fi Module - IEEE 802.11 b/g/n, • Microphone built-in, • Speakers built-in, • Bidirectional communication, • Smooth adjustment of monitor parameters: image brightness, ring tone volume and conversation volume, • Automatically capture and save photos if there is no response to the bell button, • IP Hikvision cameras support, • The ability of direct communication between two or more panels, • Register a short voice message if there is no response to the bell button • Support for capturing a photo during video calls • The microSD cards support max. 128 GB (not included) • The device is fully configurable via the iVMS4200 software. • In addition, the device has the ability to work with the Hik-Connect application on mobile devices 	...
Controlling	capacitive touch screen	...
Default administrator password	— The administrator password should be set at the first start	...
Default password for securing the zone	—	...
Alarm inputs	8	...
Alarm outputs	2	...
Power supply	24 V DC - HIKVISION 2-wire - Y series	...
Power consumption	≤ 4 W	...
Color	Black + Silver	...
Operation temp	-10 °C ... 50 °C	...
Weight	0.32 kg	...
Dimensions	200 x 140 x 25 mm	...

Supported languages	Polish, English, Bulgarian, Croatian, Czech, French, Greek, Spanish, Dutch, German, Portuguese, Romanian, Serbian, Hungarian, Italian	...
Manufacturer / Brand	Hikvision	KLIMAS
SAP Code	305303991	...
Guarantee	3 years	2 years



DELTA-OPTI Monika Matysiak / VAT:PL5251295225 / 60-713 Poznań, ul. Graniczna 10
 Tel:+48 61 864 69 60 / GSM:+48 607 60 11 66 / Fax:+48 61 864 69 65 / e-mail: info@delta.poznan.pl
 Monday-Friday: 8.00-19.00 / Saturday: 8.00-14.00