



|                                  |  |   |
|----------------------------------|--|---|
|                                  | <a href="#">SOCKET MOTION DETECTOR MS-1 Virone</a>                                 | <a href="#">AUXILIARY CONTACT LE-406250 FOR THE LEGRAND DEVICES OF THE TX3, DX3, FR300, FRX300, FRX400 SERIES LEGRAND</a> |
|                                  |   |   |
|                                  | 8.98 EUR<br>8.98 EUR   | 13.28 EUR<br>13.28 EUR  |
| Device type                      | Socket Motion Detector   | Auxiliary contact   |
| Rated voltage                    | 230 V / 50 Hz  | 230 V AC  |
| Number of pins                   | ...  | 1   |
| Contact type                     | ...  | NO/NC   |
| Connectors type                  | ...  | screw terminals   |
| Relay maximal load               | ...  | 250 V AC / 6 A  |
| Maximal load                     | <ul style="list-style-type: none"> <li>• 1200 W,</li> <li>• 300 W @ LED</li> </ul> | ...   |
| Detection range                  | 9 m  | ...   |
| Detection angle                  | 120 °  | ...   |
| Detection range adjustment       | 2 m ... 9 m  | ...   |
| Width in 17.5 mm modules         | ...  | 0.5   |
| Light intensity adjustment range | < 3 Lux ... 2000 Lux   | ...   |
| Lighting time adjustment range   | 10 s ± 3 s ... 7 minutes ± 2 minutes   | ...   |
| Housing                          | Plastic  | Plastic, Direct mounting on selected Legrand DIN TS-35 rail mounting units, on the left-hand side of the device           |
| Security class                   | IP20   | ...   |
| Socket type                      | 2P+Z, E type   | ...   |
| Power supply                     | 230 V AC, 50 Hz  | ...   |
| Color                            | White  | ...   |
| Weight                           | 0.11 kg  | 0.034 kg  |
| Dimensions                       | 98 x 52 x 73 mm  | 9 x 85 x 78 mm  |
| Manufacturer / Brand             | Virone   | LEGRAND   |
| Guarantee                        | 2 years  | 2 years   |