

	<a href="#">IP CAMERA TC-C34QN SPEC:13/E/Y/2.8MM/V5.0 - 4 Mpx 2.8 mm TIANDY</a>	<a href="#">AHD, HD-CVI, HD-TVI, CVBS, TCP/IP DVR BCS-V-XVR0401-AI 4 CHANNELS BCS View</a>
		
	81.79 EUR 81.79 EUR	154.25 EUR 154.25 EUR
Standard	IP	AHD, HD-CVI, HD-TVI, CVBS, TCP/IP
Video inputs	...	4 pcs BNC - AHD / HD-CVI / HD-TVI / CVBS
Video outputs	...	1 pcs HDMI 1 pcs VGA 1 pcs CVBS - BNC socket
Resolution	2688 x 1520 - 4 Mpx , 2560 x 1440 - 3.7 Mpx , 2304 x 1296 - 3 Mpx , 1920 x 1080 - 1080p , 1280 x 720 - 720p	...
Audio inputs	...	1 pcs CINCH, Coaxial audio - Audio from cameras
Sensor	1/3 " Progressive Scan CMOS	...
Audio outputs	...	1 pcs CINCH
Lens	2.8 mm	...
View angle	92 °	...
Range of IR illumination	30 m	...
Memory card slot	—	...
Image compression method	S+265 / H.265 / H.264	H.265+ / H.265 / H.264 / H.264+
Audio	<ul style="list-style-type: none"> <li>• Microphone built-in</li> <li>• Audio transmission via network</li> </ul>	...
Main stream frame rate	20 fps @ 4 Mpx	...
Interface	10/100 Base-TX (RJ-45)	...
WEB Server	Built-in	...
Max. number of on-line users	2	...
ONVIF	✓	...
Access from PC	Port no.: 3000 or access by a cloud (P2P) - PC: Free application <a href="#">Easy7 Smart Client Express</a>	...
Intelligent image analysis	—	...
Power consumption	≤ 6 W	...

DELTA-OPTI Monika Matysiak / VAT:PL5251295225 / 60-713 Poznań, ul. Graniczna 10  
Tel:+48 61 864 69 60 / GSM:+48 607 60 11 66 / Fax:+48 61 864 69 65 / e-mail: info@delta.poznan.pl  
Monday-Friday: 8.00-19.00 / Saturday: 8.00-14.00

Housing	Compact - Metal + Plastic	...
"Index of Protection"	IP67	...
Mechanical protection class	—	...
Operation temp	-30 °C ... 60 °C	...
Image records resolutions	...	<ul style="list-style-type: none"> <li>• HD-TVI : 4M-N - 1280 x 1440 , 3 Mpx - 1920 x 1536 1 CH only , 1080p - 1920 x 1080 , 960 x 1080 - 1080N , 720p - 1280 x 720 ,</li> <li>• AHD / HD-CVI : 4M-N - 1280 x 1440 , 1080p - 1920 x 1080 , 960 x 1080 - 1080N , 720p - 1280 x 720 ,</li> <li>• PAL : 960H - 960 x 576 ,</li> <li>• IP : max. 6 Mpx - 3072 x 2048</li> </ul>
Recording speed adjustment	...	6 Mpx IP @ 1 ... 25 fps 4M-N @ 1 ... 15 fps 3 Mpx @ 1 ... 15 fps 1080p @ 1 ... 15 fps 1080N @ 1 ... 25 720p @ 1 ... 25 fps 960H @ 1 ... 25 fps for each channel
Operation modes	...	4 x HD-TVI / AHD / HD-CVI / CVBS / IP + 2 x IP
Recording modes	...	Manual, Sensor, Motion detection, Schedule
Supported hard drives	...	1 x 10 TB SATA
External storage devices backup	...	Backup to USB drive (pendrive, external drive)
Searching and playback the records	...	Records searching: timeline or file list. Playback: forward, fast, slow. Playback max. 4 cameras in the same time
Network interface	...	1 x RJ-45 - 10/100 Base-TX
Bitrate	...	32 ... 6144 kbps
Network functions	...	Network Client Software and IE browser: live view, playback and backup of the records, partial configuration of the recorder parameters
Network protocols	...	TCP/IP, PPPoE, DHCP, DNS, DDNS, NTP, SADP, NFS, iSCSI, UPnP, HTTPS, ONVIF
Mobile phones support	Port no.: 3000 or access by a cloud (P2P) • Android: Free application <a href="#">EasyLive Plus</a> • iOS (iPhone): Free application <a href="#">EasyLive Plus</a>	Port no.: 8000 or access by a cloud (P2P) • Android: Free application <a href="#">BCS View</a> • iOS (iPhone): Free application <a href="#">BCS View</a>



DELTA-OPTI Monika Matysiak / VAT:PL5251295225 / 60-713 Poznań, ul. Graniczna 10  
Tel:+48 61 864 69 60 / GSM:+48 607 60 11 66 / Fax:+48 61 864 69 65 / e-mail: info@delta.poznan.pl  
Monday-Friday: 8.00-19.00 / Saturday: 8.00-14.00

Default IP address	DHCP or 192.168.1.2	DHCP or 192.168.1.64
Default admin user / password	admin / - The administrator password should be set at the first start	admin / - The administrator password should be set at the first start
Web browser access ports	80, 3000, 3001	80
PC client access ports	3000, 3001	554 RTSP, 8000
Mobile client access ports	3000, 3001	8000
Port ONVIF	80	80
RTSP URL	...	<ul style="list-style-type: none"> <li>• rtsp://user:password@192.168.1.64:554/Streaming/Channels/channel_no01/ - Main stream</li> <li>• rtsp://user:password@192.168.1.64:554/Streaming/Channels/channel_no02/ - Sub stream</li> </ul>
Alarm inputs / outputs	—	—
PTZ control	...	<ul style="list-style-type: none"> <li>• Control compatible with coax HD-TVI</li> <li>• RS-485 - PELCO-D/P</li> </ul>
Motion Detection	...	Split the screen into zones : 22 x 18 motion zones
USB	...	2 x USB 2.0
Main features	<ul style="list-style-type: none"> <li>• D-WDR - Wide Dynamic Range</li> <li>• 3D-DNR - Digital Noise Reduction</li> <li>• F-DNR (Defog) - Reduction of image noise caused by precipitation</li> <li>• BLC/HLC - Back Light / High Light Compensation</li> <li>• ICR - Movable InfraRed filter</li> <li>• Day/night mode</li> <li>• Motion Detection</li> </ul>	<ul style="list-style-type: none"> <li>• Intelligent image analysis : intrusion, crossing the line (tripwire)</li> <li>• Smart motion detection (with recognizing people and vehicles)</li> <li>• Filtering of false alarms based on the recognition of persons and vehicles</li> </ul>
Mouse support	...	✓
IR remote controller in the set	...	—
Power supply	PoE (802.3af)	12 V DC / 1.5 A (power adapter included)
Color	White	Black
Weight	0.21 kg	1.15 kg
Dimensions	164 x 73 x 73 mm	315 x 250 x 45 mm
Supported languages	Polish, English, Albanian, Arabic, Spanish, Korean, French, Dutch, Hebrew, German, Portuguese, Russian, Thai, Turkish, Ukrainian, Vietnamese, Italian	Polish, English, Bulgarian, Croatian, Czech, Danish, Estonian, Greek, Spanish, Dutch, German, Norwegian, Portuguese, Russian, Romanian, Serbian, Slovak, Slovenian, Swedish, Turkish, Hungarian, Italian
Manufacturer / Brand	TIANDY	BCS View



DELTA-OPTI Monika Matysiak / VAT:PL5251295225 / 60-713 Poznań, ul. Graniczna 10  
 Tel:+48 61 864 69 60 / GSM:+48 607 60 11 66 / Fax:+48 61 864 69 65 / e-mail: info@delta.poznan.pl  
 Monday-Friday: 8.00-19.00 / Saturday: 8.00-14.00

Guarantee	3 years	3 years
-----------	---------	---------



DELTA-OPTI Monika Matysiak / VAT:PL5251295225 / 60-713 Poznań, ul. Graniczna 10  
Tel:+48 61 864 69 60 / GSM:+48 607 60 11 66 / Fax:+48 61 864 69 65 / e-mail: info@delta.poznan.pl  
Monday-Friday: 8.00-19.00 / Saturday: 8.00-14.00