

	WI-FI SMART PLUG ATLO-P2IP4-TUYA-V2 Wi-Fi, Tuya Smart	POWER DISTRIBUTION UNIT LE-049492 (5 OUTLETS) 3 m LEGRAND	AHD, HD-CVI, HD-TVI, CVBS, TCP/IP DVR XVR5116HE-4KL-I3 16 CHANNELS DAHUA
			
	17.79 EUR 17.79 EUR	20.98 EUR 20.98 EUR	765.35 EUR 765.35 EUR
Rated voltage	90 ... 250 V, 50 / 60 Hz	230 V AC / 50 Hz	...
Maximal total load	3680 W	3680 W	...
Total maximal current	16 A	16 A	...
Standard	AHD, HD-CVI, HD-TVI, CVBS, TCP/IP
Number of outlets	2 pcs	5 grounded outlets 16A/250V CEE 7/5	...
Video inputs	16 pcs BNC
Fuse	...	—	...
Socket type	CEE 7/3 (Schuko)
Switch	...	—	...
Wire gauge	...	3 x 1.5 mm ²	...
Grounding	✓
Video outputs	<ul style="list-style-type: none"> • 1 pcs HDMI 4K • 1 pcs VGA There is a possibility to configure a SPOT function on one of the output
Length of the cable	...	3 m	...
Wireless	Wi-Fi, 2.4 GHz - IEEE 802.11 b/g/n
Audio inputs	<ul style="list-style-type: none"> • 16 pcs - CINCH • 16 - Audio support via coaxial cable, HD-CVI only
Audio outputs	1 pcs CINCH
Image compression method	AI Coding / H.265+ / H.265 / H.264+ / H.264
Main features	<ul style="list-style-type: none"> • schedule, • timer, • remote access, • voice control • Easy operation • ON/OFF button • STATUS indicator
Housing	Plastic	Plastic	...
"Index of Protection"	IP66


Operation temp	-20 °C ... 60 °C
Image records resolutions	<ul style="list-style-type: none"> • AHD / HD-CVI / HD-TVI : 8 Mpx - 3840 x 2160 , 4K-N - 1920 x 2160 , 6 Mpx - 2880 x 1920 - HD-CVI only , 5 Mpx - 2592 x 1944 , 4 Mpx - 2560 x 1440 , 4M-N - 1280 x 1440 , 3 Mpx - 2048 x 1536 - AHD / HD-TVI only , 1080p - 1920 x 1080 , 720p - 1280 x 720 • CVBS : 960H - 960 x 576 • IP : max. 8 Mpx - 3840 x 2160
Recording speed adjustment	<ul style="list-style-type: none"> 8 Mpx IP @ 1 ... 25 fps 8 Mpx @ 1 ... 7 fps 4K-N @ 1 ... 15 fps 6 Mpx @ 1 ... 10 fps 5 Mpx @ 1 ... 12 fps 4 Mpx @ 1 ... 15 fps 4M-N @ 1 ... 25 fps 3 Mpx @ 1 ... 15 fps 1080p @ 1 ... 25 fps 720p @ 1 ... 25 fps 960H @ 1 ... 25 fps for each channel
Operation modes	16 x AHD / HD-CVI / HD-TVI / CVBS / IP + 16 x IP
Recording modes	Manual, Sensor, Motion detection, Schedule
Supported hard drives	1 x 16 TB SATA
External storage devices backup	Save single frames and whole records from DVR drive to the USB drive
Searching and playback the records	Records searching: by time + timeline with record type. Playback: forward, fast, slow, step Advanced searching (to the one second accuracy) Intelligent face search AI - simultaneous search in the archive of face recordings based on max 8 photos taking into account the similarity threshold (for each photo separately)

Network functions	Network Client Software and IE browser: live view, playback and backup of the records, partial configuration of the recorder parameters
Mobile phones support	<ul style="list-style-type: none"> • The Tuya Smart free application on Android • The Tuya Smart free application on iOS 	...	Port no.: 37777 or access by a cloud (P2P) • Android: Free application DMSS • iOS (iPhone): Free application DMSS See how to configure the P2P function in Dahua recorders and how to enable the mobile application
Alarm inputs / outputs	16 / 3
PTZ control	IP Speed Dome Cameras Control compatible with coax PTZ HD-CVI RS-485 - PELCO-D/P
Motion Detection	Split the screen into zones : 22 x 18 motion zones



Main features	<ul style="list-style-type: none"> • Cooperation with Dahua devices working in the concept of the Internet of Things (IoT), • POS - support the machines installed in the points of sales and displaying the date from them as overlaid text on selected channel window, • SMD PLUS - searching for an object classified as: human, motor vehicle, • Coax Audio/Alarm support, • Intelligent image analysis : crossing the line (tripwire), crossing the line (tripwire), abandoned/missing object, classification of people and vehicles • advanced face and vehicle recognition and search functions • Support for up to 10 face databases, including 20 000 face images • Detection of faces not included in the device database • Searching for faces in recordings based on max 8 selected photos with the ability to independently set the similarity threshold for each photo
USB	<ul style="list-style-type: none"> • 1 pcs USB 2.0 • 1 pcs USB 3.0
Mouse support	✓
IR remote controller in the set	—
Power supply	12 V DC / 3 A (power adapter included)
Color	Gray	White / Gray	Black
Weight	0.29 kg	0.57 kg	1.4 kg
Dimensions	118 x 154 x 43 mm	250 x 54 x 37 mm	325 x 257 x 55 mm
Supported languages	Polish, English, Bulgarian, Czech, Danish, Finnish, French, Greek, Spanish, Dutch, German, Norwegian, Portuguese, Russian, Romanian, Serbian, Swedish, Turkish, Ukrainian, Hungarian, Italian

Manufacturer / Brand	ATLO	LEGRAND	DAHUA
Guarantee	2 years	2 years	3 years



DELTA-OPTI Monika Matysiak / VAT:PL5251295225 / 60-713 Poznań, ul. Graniczna 10
Tel:+48 61 864 69 60 / GSM:+48 607 60 11 66 / Fax:+48 61 864 69 65 / e-mail: info@delta.poznan.pl
Monday-Friday: 8.00-19.00 / Saturday: 8.00-14.00