

	VIDEO DOORPHONE KIT KTA02 DAHUA	INDOOR PANEL VTH1020J- T DAHUA
		
	192.67 EUR 192.67 EUR	198.87 EUR 198.87 EUR
Compatibility	...	compatible with DAHUA analog video door-phone system
Sensor	1.3 Mpx CMOS	...
Camera view angle	70 °	...
IR illuminator	Built-in Infra-Red illuminator enables night monitoring	...
proximity reader built-in	—	...
Video output	compatible with DAHUA analog video door-phone system	...
Audio inputs	1 - Microphone	...
Audio outputs	1 - Speaker	...
"Index of Protection"	IP66 - after additional sealing the housing connection with the mounting surface, e.g. with silicone	...
Shield	7 " TFT-LCD color matrix	7 " TFT-LCD color matrix
Resolution	1024 x 600	1024 x 600

Main features	• D-WDR - Wide Dynamic Range • ICR - Movable InfraRed filter • Operation status LED indicator - green LED - power indicator • Doorbell button • Inputs : Exit button, Door status detection • Surface mount • Rain cover included • Touch control keys, • Operation status LED indicator - green LED - power indicator, • The maximum number of gate stations in the system : 2, • The maximum number of indoor panels in the system : 3, • Selecting the ringer melody, • Smooth adjustment of monitor parameters: image brightness, ring tone volume and conversation volume, • Preview image from the door station with the possibility of turning on the sound and opening the gate, • 4-wire cable installation, • Communication : compatible with DAHUA analog video door-phone system • Surface mount, • In the kit : Bracket	• Touch control keys, • Operation status LED indicator - green LED - power indicator, • The maximum number of gate stations in the system : 2, • The maximum number of indoor panels in the system : 3, • Selecting the ringer melody, • Smooth adjustment of monitor parameters: image brightness, ring tone volume and conversation volume, • Preview image from the door station with the possibility of turning on the sound and opening the gate, • Support for capturing a photo during video calls, • 4-wire cable installation, • Communication : compatible with DAHUA analog video door-phone system • Surface mount, • In the kit : Bracket
Power supply	12 V DC / 1 A (powered by indoor monitor) 12 V DC / 1 A - Monitor 12 V DC / 2 A (power adapter included)	12 V DC / 1 A
Power consumption	≤ 3 W Operation ≤ 1 W Standby ≤ 5 W Operation ≤ 2 W Standby	≤ 2 W Standby ≤ 5 W Operation
Housing	Plastic (PC + ABS) Plastic (PC + ABS)	Plastic (PC + ABS)
Color	Silver + Black White	White

Operation temp	-30 °C ... 60 °C -10 °C ... 55 °C	-10 °C ... 55 °C
Weight	0.14 kg 0.25 kg	0.25 kg
Dimensions	46 x 131 x 34 mm 183 x 134 x 18 mm	183 x 134 x 18 mm
Manufacturer / Brand	DAHUA	DAHUA
Guarantee	3 years	3 years

