

	ROBOT VACUUM CLEANER WITH A MOP RV-L11-A IMOU	ROBOT VACUUM CLEANER WITH A MOP RV-L11S-A IMOU	WI-FI SMART PLUG CE1P- EU Wi-Fi, IMOU
			
	426.81 EUR 426.81 EUR	328.56 EUR 328.56 EUR	9.72 EUR 9.72 EUR
Automatic charging	✓	✓	...
Automatically resume cleaning after charging	✓	✓	...
Rated voltage	...	...	220 ... 240 V
Automatic container emptying	✓	✓	...
Maximal total load	...	...	2500 W
Floor mopping function	✓	✓	...
Total maximal current	...	...	10 A
Suction power	2700 Pa	4500 Pa	...
Number of outlets	...	...	1 pcs
Dust container capacity	300 ml	300 ml	...
Water tank capacity	250 ml	250 ml	...
Socket type	...	...	CEE 7/3 (Schuko)
Maximum obstacle height	2 cm	2 cm	...
Plug type	...	...	CEE 7/7
Grounding	...	...	✓
Virtual wall / "no-go" zones	✓ / ✓	✓ / ✓	...
Cliff sensor	✓	✓	...
Parameters adjustment	✓	✓	...
Wireless	...	...	Wi-Fi, 2.4 GHz - IEEE 802.11 b/g/n
Noise level during operation	65 dB	65 dB	...
Schedule	✓	✓	...
Battery capacity	3200 mAh	6400 mAh	...
Mobile phones support	...	...	Access by a cloud (P2P) • Android: Free application IMOU • iOS (iPhone): Free application IMOU
Backup time	2 h	2.5 h	...

Main features	...	...	• schedule, • timer, • remote access, • voice control • Energy measurement • ON/OFF button • STATUS indicator
Housing	...	...	Plastic
Color	...	...	White
Operation temp	...	...	-15 °C ... 35 °C
Permissible relative humidity	...	...	≤ 90 %
Main features	• The capacity of the dust bag in the docking station : 3 l • Carpet Boost - increasing the suction power when moving over carpets and floor coverings, • LiDAR System - an advanced, precise navigation system that uses the reflection of a light beam to detect the distance from objects and their shape - Sampling rate : 2016 sample points per second, Detector range : 8 m, • Precise setting of no-go zones and restricted zones (e.g. cleaning without a mop) • Ability to set different cleaning parameters for each room / zone • An extensive, precise work schedule • Smart planning of the most efficient cleaning route based on the map of the room • Possibility to give an immediate command to clean a given place and direct remote control of the robot	• Carpet Boost - increasing the suction power when moving over carpets and floor coverings, • LiDAR System - an advanced, precise navigation system that uses the reflection of a light beam to detect the distance from objects and their shape - Sampling rate : 2016 sample points per second, Detector range : 8 m, • Precise setting of no-go zones and restricted zones (e.g. cleaning without a mop) • Ability to set different cleaning parameters for each room / zone • An extensive, precise work schedule • Smart planning of the most efficient cleaning route based on the map of the room • Possibility to give an immediate command to clean a given place and direct remote control of the robot	...
Dimensions	• Cleaning robot : Ø 350 x 100 mm • Base Station : 348 x 259 x 209	• Cleaning robot : Ø 350 x 100 mm • Base Station : 356 x 250 x 193	Ø 55 x 85 mm
Weight	• Cleaning robot : 3.7 kg • Base Station : 4.1	• Cleaning robot : 3.7 kg • Base Station : 3.9	0.09 kg

Operation temp. / Relative humidity	0 ... 40 °C / max. 90 % Cleaning robot	0 ... 40 °C / max. 90 % Cleaning robot	...
Manufacturer / Brand	IMOU	IMOU	DAHUA / IMOU
Guarantee	2 years	2 years	2 years



DELTA-OPTI Monika Matysiak / VAT:PL5251295225 / 60-713 Poznań, ul. Graniczna 10
Tel:+48 61 864 69 60 / GSM:+48 607 60 11 66 / Fax:+48 61 864 69 65 / e-mail: info@delta.poznan.pl
Monday-Friday: 8.00-19.00 / Saturday: 8.00-14.00