

Code: ATLO-ML-271

ELECTROMAGNETIC LOCK ATLO-ML-271

Net: 41.59 EUR Gross: 41.59 EUR

Electromagnetic lock, surface, single. With a simple design and modern manufacturing technology, is a reliable device to lock doors and gates. It operates reversibly - it is open when power is off. Force an entry closed by lock requires the use of force of > 270 kg. The lock is composed of two elements: electromagnet (usually mounted in the frame) and lock plate (usually mounted in the door). Error free operation of the lock is a result of lack the mechanical elements, which after some time become damaged. Device is designed for indoor use only.



SPECIFICATION

Load capacity:	271 kg
Rated voltage:	12 V DC
Current consumption:	500 mA
Main features:	• LED indication, • Device is designed for indoor use only
Weight:	1.2 kg
Dimensions:	250 x 48 x 28 mm
Manufacturer / Brand:	ATLO
Guarantee:	3 years


PRESENTATION



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Connectors:




Dimensions:



Typical operation diagram:

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
 POL; 60-713 Poznań; Graniczna 10
 e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



1. Door
2. Door-frame

Should pay attention to rubber pads mounted between the door and the movable element of the lock. These pads ensure proper fit the lock elements with the door when it is closed.
In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60