

Code: R4-12.10

ELECTRIC STRIKE **R4-12.10**

Net: **14.09 EUR** Gross: **14.09 EUR**



The electric strike of R4-12.10 type is designed for door and gates made from metal profiles, to work together with ratchet-latch or ratchet type door lock.


SPECIFICATION

Rated voltage:	10 V $\pm$ 2 V AC/DC
Current consumption:	530 mA AC / 660 mA DC
Application:	right-side door / left-side door
Ratched lock:	—
Memory function:	—
Reverse action:	—
Clearance adjustment:	✓
Allowable thrust on the door at ratchet release:	30 N
Allowable load of the door impacting the lock:	3000 N
Allowable uninterrupted operation time:	30 minutes
Weight:	0.16 kg
Dimensions:	21 x 29 x 67 mm
Guarantee:	2 years

PRESENTATION





DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Connectors:




Dimensions:



A). holes

Determination of the left- and right side doors:



- 1). right-side door
- 2). left-side door

PACKAGE

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
 POL; 60-713 Poznań; Graniczna 10
 e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

