Code: MK-1.5/POD-V2

FOOTING FOR MASTS **MK-1.5/POD-V2**

Net: 142.64 EUR Gross: 142.64 EUR

Mast base for free-standing truss masts from MK-1.5 series.

SPECIFICATION

Material:	• Steel galvanized, • Aluminum
Main features:	The design allows the mast to tilt up to 115° from the vertical (max)
Weight:	4.24 kg
Dimensions:	345 x 345 x 127 mm
Guarantee:	**3 years**
Manufacturer / Brand:	DELTA

PRESENTATION

Hinges allow to tilt the mast to the horizontal position:



The MK-1.5/POD base with the MK-1.5 truss mast:



The MK-1.5/POD base mounted to the MK-1.5/KOT anchor and the MK-1.5 truss mast:

Prepared form-work for the foundation of the mast:

Poured foundation of the mast with embedded anchor and established base:

Ready foundation with the set mast:

Bottom view:



Top view:



Side view:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg

DELTA-OPTI Monika Matysiak; https://www.delta.poznan.pl
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60