

Code: DSB-54

POE SWITCH WITH BATTERY BACKUP **DSB-54** 5-PORT PULSAR

Net: **94.18 EUR** Gross: **94.18 EUR**

The DSB-54 is 5-port PoE switch with battery backup designed to power IP cameras operating in IEEE 802.3af standard. Four ports support Power over Ethernet (PoE) function.

With the built-in buffered power supply adapter it can operate with 12V / 7Ah battery and in case of power failure, immediate switching to battery supply.

DSB-54 is designed to mount on the DIN 35 mm rail.

Caution! A battery is not included with the switch. The value of 15.4 W per port is the maximal one. With full occupation of PoE ports the total power consumption should not exceed 40 W.



SPECIFICATION

LAN ports:	5 x RJ45 (4 x PoE (802.3af))
Transmission method:	Store and Forward
LED diodes:	Power, LAN, PoE
Transmission speed:	10 / 100 Mbps : 1 Port LAN + 4 LAN & PoE ports
Maximal output power:	15.4 W / port PoE
Maximal total power:	45 W
MAC addresses table:	1k - Auto update of MAC addresses table
Main features:	• DIN, TS-35 rail mounting, • Built-in buffered power supply adapter operating with one 7Ah / 12V battery, • Built-in (DC/DC) converter increasing the voltage to 48VDC (power supply of PoE switch)
Power supply:	176 V ... 264 V AC
Weight:	2.56 kg
Dimensions:	250 x 160 x 111 mm
Manufacturer / Brand:	PULSAR
Guarantee:	2 years

PRESENTATION

Front view:



- 1 - LAN + PoE
- 2 - LAN + PoE
- 3 - LAN + PoE
- 4 - LAN + PoE
- 5 - LAN

Rear view:





Example of application:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------