

Code: PFT1310

POE SWITCH / EXTENDER **PFT1310** 3-PORT

Net: 19.04 EUR Gross: 19.04 EUR

The PFT1310 device allows for connection of 2 cameras with PoE power supply using a single Ethernet line. The cascading connection of 2 extenders allows to connect up to 3 cameras in this way. The device is powered from the PoE switch or other device compliant with this standard. Thanks to this, neither the extender nor the camera connected to it require any additional power supply.



SPECIFICATION

LAN ports:	• 1 x RJ45 10/100 Base-T + power input : PoE (802.3af/at), • 2 x RJ45 10/100 Base-T + PoE (802.3af)
Management:	—
LED diodes:	LAN, PoE
Transmission speed:	10 / 100 Mbps
Maximal output power:	• 15.4 W @ port PoE - First device • 3 W @ port PoE - Second device in cascade
Main features:	• Possibility to connecting in cascade • The device can function as a LAN network and PoE power extender
Power consumption:	0.3 W
Range:	100 m - Input 100 m - Output
Protections:	Overvoltage
Housing:	Plastic, DIN, TS-35 rail mounting
Power supply:	PoE (802.3af/at)
Operation temp. / Relative humidity:	-30 ... 65 °C / 10 ... 90 %
Weight:	0.05 kg
Dimensions:	79 x 52 x 23 mm
Guarantee:	2 years

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

PRESENTATION



Connectors:



Mounting side view:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Transmission schematic diagram:



1. SWITCH PoE
2. PFT1310
3. IP Camera

PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------