

Code: U-312P-2POE-20

INDUSTRIAL POE SWITCH **U-312P-2POE-20** 2-PORT +1xFO

Net: **117.18 EUR** Gross: **117.18 EUR**

The U-312P-2POE-20 PoE Switch is an industrial type device enabling fluent network transmission at rates 10 / 100 / 1000 Mbps. All ports support PoE function in 802.3af standard with automatic detection of co-operating devices. Devices of this type can be used in installations realized in industrial facilities in harsh environmental conditions like high or low temperature.

The switch is equipped with 1 fiber optic port enabling signal transmission up to 20 km distance.



SPECIFICATION

LAN ports:	• 2 x RJ45 (2 PoE (802.3af)), • 1 x FO - SC optical fiber port, Single-mode
Management:	—
Transmission speed:	• 10 / 100 / 1000 Mbps - 2 LAN & PoE ports • 10 / 100 / 1000 Mbps - 1 x SC optical output
Maximal output power:	15.4 W / port PoE
Maximal total power:	31 W
Transmission method:	Store and Forward
Main features:	• DIN, TS-35 rail mounting • Auto-learning and Auto-aging functions support for MAC addresses • "Index of Protection" IP40 • Operation temp : -40 °C ... 80 °C • Permissible relative humidity 95 % • Optical transmission requires 2 optical fibers
LED diodes:	Power, Link/Act, PoE, F1
Certificates:	CE
Power supply:	The ability to connect two power adapters - redundant power supply • 12 V ... 48 V DC • 24 V AC
Weight:	0.495 kg
Dimensions:	149 x 130 x 41 mm
Guarantee:	2 years

PRESENTATION



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Front panel:



Top view:



Rear panel (DIN rail installation):






Side view:



Example of application:



1. Fiber optic
 2. Twisted-pair cable
- In the kit:



OUR OPINIONS



- PoE does not work at 24V AC and 12V DC.

PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60