

Code: UNIFI-UC-CK

# UNIFI NETWORK DEVICES CONTROLLER **UNIFI-UC-CK** UBIQUITI

Net: **99.61 EUR** Gross: **99.61 EUR**

The UNIFI-UC-CK controller allows to manage the entire LAN based on Ubiquiti UniFi series devices. The device allows to manage switches, access points and other devices both from the network in which they are located, as well as through a secured HybridCloud cloud.

Advanced interface features allow full control over network security, data flow, access to full network usage statistics, and even graphical observation of wireless network coverage on a building plan. After connecting the device to the UniFi Cloud account, the administrator gets full access to the device interface via the Internet, which allows remote monitoring and management of the network status.



## SPECIFICATION

|                                |                                                                                                                                                                                                                                                                                                                                                                                                 |
|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Processor:                     | Quad-Core SoC                                                                                                                                                                                                                                                                                                                                                                                   |
| Memory:                        | <ul style="list-style-type: none"><li>• RAM : 2 GB DDR,</li><li>• embedded : 16 GB</li></ul>                                                                                                                                                                                                                                                                                                    |
| Network interface:             | 10/100/1000 Base-T                                                                                                                                                                                                                                                                                                                                                                              |
| Default IP address:            | DHCP                                                                                                                                                                                                                                                                                                                                                                                            |
| Certificates:                  | CE, FCC, IC                                                                                                                                                                                                                                                                                                                                                                                     |
| Main features:                 | <ul style="list-style-type: none"><li>• Easy and uniform management system for many devices</li><li>• Access by a cloud (P2P)</li><li>• Clear graphical interface</li><li>• Management of switches and access points for LAN, WAN and VLAN networks</li><li>• Access to detailed statistics of network usage</li><li>• User groups management</li><li>• Wireless network coverage map</li></ul> |
| Power supply:                  | <ul style="list-style-type: none"><li>• PoE (802.3af),</li><li>• 5 V DC / 1 A - USB-C (power adapter not included)</li></ul>                                                                                                                                                                                                                                                                    |
| Power consumption:             | ≤ 5 W                                                                                                                                                                                                                                                                                                                                                                                           |
| Color:                         | White                                                                                                                                                                                                                                                                                                                                                                                           |
| Weight:                        | 0.11 kg                                                                                                                                                                                                                                                                                                                                                                                         |
| Dimensions:                    | 122 x 43 x 22 mm                                                                                                                                                                                                                                                                                                                                                                                |
| Operation temp:                | 0 °C ... 40 °C                                                                                                                                                                                                                                                                                                                                                                                  |
| Permissible relative humidity: | 20 ... 90 % (non-condensing)                                                                                                                                                                                                                                                                                                                                                                    |
| Manufacturer / Brand:          | UBIQUITI                                                                                                                                                                                                                                                                                                                                                                                        |
| Guarantee:                     | 2 years                                                                                                                                                                                                                                                                                                                                                                                         |

## PRESENTATION

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60




Connectors:





Side view:



In the kit:



## PACKAGE

|                                  |                    |
|----------------------------------|--------------------|
| Dimensions (L x W x H): 0x0x0 mm | Gross Weight: 0 kg |
|----------------------------------|--------------------|