

Code: HAC-HUM3200A-0280P-S5

AHD, HD-CVI, HD-TVI, PAL HIDDEN CAMERA **HAC-HUM3200A-0280P-S5** -  
1080p 2.8 mm DAHUA  
Net: 77.49 EUR Gross: 77.49 EUR

Megapixel camera with Progressive Scan CMOS sensor and AHD / HD-CVI / HD-TVI / CVBS.

The AHD / HD-CVI / HD-TVI interface allows to transmission of analog video signal via coaxial cable in max. 8 Mpx (4K UHD) resolution. During transmission there are no delays and is maintained the original, high quality image.



## SPECIFICATION

|                           |                                                                                                                                                                                                                                                                                                                                                        |
|---------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Standard:                 | AHD, HD-CVI, HD-TVI, PAL                                                                                                                                                                                                                                                                                                                               |
| Sensor:                   | Progressive Scan CMOS                                                                                                                                                                                                                                                                                                                                  |
| Matrix size:              | 2.1 Mpx                                                                                                                                                                                                                                                                                                                                                |
| Resolution:               | 1920 x 1080 - 1080p, AHD, HD-CVI, HD-TVI ,<br>960 x 576 - 960H PAL                                                                                                                                                                                                                                                                                     |
| Lens:                     | 2.8 mm                                                                                                                                                                                                                                                                                                                                                 |
| View angle:               | 105 °                                                                                                                                                                                                                                                                                                                                                  |
| Range of IR illumination: | 10 m, 940 nm (invisible to the human eye)                                                                                                                                                                                                                                                                                                              |
| S/N ratio:                | > 65 dB                                                                                                                                                                                                                                                                                                                                                |
| Video output:             | 1 Vpp 75 Ω, AHD, HD-CVI, HD-TVI, PAL                                                                                                                                                                                                                                                                                                                   |
| PIR detector:             | —                                                                                                                                                                                                                                                                                                                                                      |
| Main features:            | <ul style="list-style-type: none"><li>• D-WDR - Wide Dynamic Range</li><li>• 2D-DNR - Digital Noise Reduction</li><li>• BLC/HLC - Back Light / High Light Compensation</li><li>• Mirror - Mirror image</li><li>• Privacy zones - max. 8</li><li>• Motion Detection</li><li>• Auto White Balance</li><li>• Sharpness - sharper image outlines</li></ul> |
| OSD menu:                 | OSD menu available via DAHUA recorder                                                                                                                                                                                                                                                                                                                  |
| Application:              | The camera is designed for indoor use, due to the possibility of steam condensation.                                                                                                                                                                                                                                                                   |

|                       |                  |
|-----------------------|------------------|
| Power supply:         | 12 V DC / 280 mA |
| Power consumption:    | ≤ 3.3 W          |
| Housing:              | Spy, Plastic     |
| Color:                | White            |
| Operation temp:       | -40 °C ... 60 °C |
| Weight:               | 0.12 kg          |
| Dimensions:           | 120 x 62 x 59 mm |
| Supported languages:  | Polish, English  |
| Manufacturer / Brand: | DAHUA            |
| Guarantee:            | <b>3 years</b>   |

## PRESENTATION



Front view:



Internal view:



Mounting side view:



In the kit:



## PACKAGE

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60

|                                  |                    |
|----------------------------------|--------------------|
| Dimensions (L x W x H): 0x0x0 mm | Gross Weight: 0 kg |
|----------------------------------|--------------------|

