

Code: XVR5104C-4KL-X

# AHD, HD-CVI, HD-TVI, CVBS, TCP/IP DVR **XVR5104C-4KL-X** 4 CHANNELS DAHUA

Net: **172.90 EUR** Gross: **172.90 EUR**

The XVR5104C-4KL-X digital recorder with AHD (Analog High Definition), HD-CVI (High Definition Composite Video Interface), HD-TVI (High Definition Transport Video Interface), TCP/IP and CVBS interface is a professional device applicable in surveillance systems.

The menu options layout has been designed for all users, even beginners can easy navigate and change parameters in DVR settings without any problem.



## SPECIFICATION

|                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Standard:                  | AHD, HD-CVI, HD-TVI, CVBS, TCP/IP                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Video inputs:              | 4 pcs BNC                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Video outputs:             | <ul style="list-style-type: none"><li>• 1 pcs HDMI 4K</li><li>• 1 pcs VGA</li></ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Audio inputs:              | <ul style="list-style-type: none"><li>• 1 pcs CINCH,</li><li>• 4 - Audio support via coaxial cable - HD-CVI only</li></ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Audio outputs:             | 1 pcs CINCH                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Image compression method:  | H.265 / H.265+ / H.264 / H.264+                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Image records resolutions: | <ul style="list-style-type: none"><li>• HD-CVI :<br/>8 Mpx 4K UHD - 3840 x 2160 ,<br/>4K-N - 1920 x 2160 ,<br/>6 Mpx - 3072 x 2048 ,<br/>5 Mpx - 2592 x 1944 ,<br/>4 Mpx - 2560 x 1440 ,<br/>4M-N - 1280 x 1440 ,<br/>1080p - 1920 x 1080 ,<br/>720p - 1280 x 720 ,</li><li>• AHD :<br/>5 Mpx - 2592 x 1944 ,<br/>4 Mpx - 2560 x 1440 ,<br/>4M-N - 1280 x 1440 ,<br/>3 Mpx - 2048 x 1536 ,<br/>1080p - 1920 x 1080 ,<br/>720p - 1280 x 720 ,</li><li>• HD-TVI :<br/>5 Mpx - 2592 x 1944 ,<br/>4 Mpx - 2560 x 1440 ,<br/>4M-N - 1280 x 1440 ,<br/>3 Mpx - 2048 x 1536 ,<br/>1080p - 1920 x 1080 ,<br/>720p - 1280 x 720 ,</li><li>• CVBS :<br/>960H - 960 x 576 ,</li><li>• IP :<br/>max. 8 Mpx - 3840 x 2160</li></ul> |

|                                     |                                                                                                                                                                                                                                                                                                                                                                                                                |
|-------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Recording speed adjustment:         | <ul style="list-style-type: none"> <li>• IP :<br/>8 Mpx @ 1 ... 25 fps</li> <li>• Channel 1 :<br/>8 Mpx @ 1 ... 7 fps<br/>6 Mpx @ 1 ... 10 fps<br/>5 Mpx @ 1 ... 12 fps</li> <li>• Channels 1 - 4 :<br/>4K-N @ 1 ... 15 fps<br/>4 Mpx @ 1 ... 15 fps<br/>4M-N @ 1 ... 25 fps<br/>3 Mpx @ 1 ... 15 fps<br/>1080p @ 1 ... 25 fps<br/>720p @ 1 ... 25 fps<br/>960H @ 1 ... 25 fps<br/>for each channel</li> </ul> |
| Operation modes:                    | 4 x AHD / HD-CVI / HD-TVI / CVBS / IP + 2 x IP                                                                                                                                                                                                                                                                                                                                                                 |
| Recording modes:                    | Manual, Motion Detection, Schedule                                                                                                                                                                                                                                                                                                                                                                             |
| Supported hard drives:              | 1 x 10 TB SATA                                                                                                                                                                                                                                                                                                                                                                                                 |
| External storage devices backup:    | Save single frames and whole records from DVR drive to the USB drive                                                                                                                                                                                                                                                                                                                                           |
| Searching and playback the records: | Records searching: by time + timeline with record type. Playback: forward, fast, slow, step<br>Advanced searching (to the one second accuracy)                                                                                                                                                                                                                                                                 |
| Network functions:                  | Network Client Software and IE browser: live view, playback and backup of the records, partial configuration of the recorder parameters                                                                                                                                                                                                                                                                        |
| Mobile phones support:              | Port no.: 37777 or access by a cloud (P2P)<br><ul style="list-style-type: none"> <li>• Android: Free application <a href="#">DMSS</a></li> <li>• iOS (iPhone): Free application <a href="#">DMSS</a></li> </ul> See how to configure the P2P function in Dahua recorders and how to enable the mobile application                                                                                              |
| Alarm inputs / outputs:             | —                                                                                                                                                                                                                                                                                                                                                                                                              |
| PTZ control:                        | IP Speed Dome Cameras<br>Control compatible with coax PTZ HD-CVI                                                                                                                                                                                                                                                                                                                                               |
| Motion Detection:                   | Split the screen into zones : 22 x 18 motion zones                                                                                                                                                                                                                                                                                                                                                             |
| Main features:                      | Intelligent Image Analysis : crossing the line (tripwire), intrusion, abandoned/missing object, face detection                                                                                                                                                                                                                                                                                                 |
| Mouse support:                      | ✓                                                                                                                                                                                                                                                                                                                                                                                                              |
| IR remote controller in the set:    | —                                                                                                                                                                                                                                                                                                                                                                                                              |
| Power supply:                       | 12 V DC / 2 A (power adapter included)                                                                                                                                                                                                                                                                                                                                                                         |
| Color:                              | White                                                                                                                                                                                                                                                                                                                                                                                                          |
| Weight:                             | 0.5 kg                                                                                                                                                                                                                                                                                                                                                                                                         |
| Dimensions:                         | 205 x 211 x 47 mm                                                                                                                                                                                                                                                                                                                                                                                              |
| Supported languages:                | Polish, English, Czech, Danish, Finnish, French, Greek, Spanish, Dutch, German, Portuguese, Russian, Romanian, Serbian, Slovak, Slovenian, Hungarian, Italian                                                                                                                                                                                                                                                  |
| Country of origin:                  | China                                                                                                                                                                                                                                                                                                                                                                                                          |
| Manufacturer / Brand:               | DAHUA                                                                                                                                                                                                                                                                                                                                                                                                          |
| Guarantee:                          | <b>3 years</b>                                                                                                                                                                                                                                                                                                                                                                                                 |

## PRESENTATION

Top view:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
 POL; 60-713 Poznań; Graniczna 10  
 e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60




Rear view:




In the kit:



Example captures of device interface:





## PACKAGE

|                                  |                    |
|----------------------------------|--------------------|
| Dimensions (L x W x H): 0x0x0 mm | Gross Weight: 0 kg |
|----------------------------------|--------------------|



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60