

AHD, HD-CVI, HD-TVI, CVBS, TCP/IP DVR BCS-XVR1602 16 CHANNELSNet: **326.49 EUR** Gross: **326.49 EUR**

The BCS-XVR1602 digital recorder with AHD (Analog High Definition), HD-CVI (High Definition Composite Video Interface), HD-TVI (High Definition Transport Video Interface), TCP/IP and CVBS interface is a professional device applicable in surveillance systems.

The menu options layout has been designed for all users, even beginners can easy navigate and change parameters in DVR settings without any problem.

**SPECIFICATION**

Standard:	AHD, HD-CVI, HD-TVI, PAL, TCP/IP
Video inputs:	16 pcs BNC - AHD / HD-CVI / HD-TVI / CVBS
Video outputs:	1 pcs HDMI 1 pcs VGA
Audio inputs:	4 pcs CINCH
Audio outputs:	1 pcs CINCH
Image compression method:	H.264
Number of compression levels:	6
Image records resolutions:	- AHD / HD-CVI / HD-TVI : 1920 x 1080, 1280 x 720 - AHD-L / PAL : 960 x 576, 720 x 576 - IP : max. 2592 x 1944
Maximal total frame rate:	- AHD / HD-CVI / HD-TVI : 240 fps @ 1920 x 1080 px, 400 fps @ 1280 x 720 px, - AHD / PAL : 400 fps @ 960 x 576 px, 400 fps @ 720 x 576 px - IP : 500 fps @ 2592 x 1944 px
Recording speed adjustment:	1 ... 25 fps @ 2592 x 1944 px - IP 1 ... 15 fps @ 1920 x 1080 px 1 ... 25 fps @ 1280 x 720 px 1 ... 25 fps @ 960 x 576 px 1 ... 25 fps @ 720 x 576 px for each channel
Operation modes:	16 x AHD / HD-CVI / HD-TVI @ 1080p 15 x AHD / HD-CVI / HD-TVI @ 1080p + 1 x IP @ 5 Mpx 14 x AHD / HD-CVI / HD-TVI @ 1080p + 2 x IP @ 5 Mpx 13 x AHD / HD-CVI / HD-TVI @ 1080p + 3 x IP @ 5 Mpx 12 x AHD / HD-CVI / HD-TVI @ 1080p + 4 x IP @ 5 Mpx 11 x AHD / HD-CVI / HD-TVI @ 1080p + 5 x IP @ 5 Mpx 10 x AHD / HD-CVI / HD-TVI @ 1080p + 6 x IP @ 5 Mpx 9 x AHD / HD-CVI / HD-TVI @ 1080p + 7 x IP @ 5 Mpx 8 x AHD / HD-CVI / HD-TVI @ 1080p + 8 x IP @ 5 Mpx 16 x AHD / HD-CVI / HD-TVI / TCP/IP @ 1080p + 8 x IP @ 5 Mpx All modes allow for any combination of the AHD-H, HD-CVI, HD-TVI, PAL cameras
Recording modes:	Manual, Motion Detection, Schedule

Supported hard drives:	2 x 6 TB SATA
External storage devices backup:	Save single frames and whole records from DVR drive to the USB drive
Searching and playback the records:	Records searching: by time + timeline with record type. Playback: forward, fast, slow, step Advanced searching (to the one second accuracy)
Network functions:	Network Client Software and IE browser: live view, playback and backup of the records, partial configuration of the recorder parameters
Mobile phones support:	Port no.: 37777 or access by a cloud (P2P) • Android: Free application DMSS • iOS (iPhone): Free application DMSS
Alarm inputs / outputs:	16 / 3
PTZ control:	RS-485 - PELCO-D/P and others
Motion Detection:	Split the screen into zones : 22 x 18 motion zones
Mouse support:	✓
IR remote controller in the set:	—
Power supply:	12 V DC / 2 A (power adapter included)
Color:	Black
Weight:	1.81 kg
Dimensions:	375 x 280 x 53 mm
Supported languages:	English, Polish
Country of origin:	China
Manufacturer / Brand:	BCS
Guarantee:	2 years

PRESENTATION

Front panel:



Rear view:



In the kit:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



OUR OPINIONS



- The BCS-XVR1602 is equipped with USB 3.0 port allowing to fast records backup.

PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

