

Code: BCS-XVR1602-IV

## AHD, HD-CVI, HD-TVI, CVBS, TCP/IP DVR **BCS-XVR1602-IV** 16 CHANNELS

Net: **478.14 EUR** Gross: **478.14 EUR**

The BCS-XVR1602-IV digital recorder with AHD (Analog High Definition), HD-CVI (High Definition Composite Video Interface), HD-TVI (High Definition Transport Video Interface), TCP/IP and CVBS interface is a professional device applicable in surveillance systems.

The menu options layout has been designed for all users, even beginners can easy navigate and change parameters in DVR settings without any problem.



### SPECIFICATION

|                                     |                                                                                                                                                                                                                                                                                  |
|-------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Standard:                           | AHD, HD-CVI, HD-TVI, CVBS, TCP/IP                                                                                                                                                                                                                                                |
| Video inputs:                       | 16 pcs BNC                                                                                                                                                                                                                                                                       |
| Video outputs:                      | 1 pcs HDMI<br>1 pcs VGA                                                                                                                                                                                                                                                          |
| Audio inputs:                       | 1 pcs CINCH<br>16 Channels - Audio support via coaxial cable                                                                                                                                                                                                                     |
| Audio outputs:                      | 1 pcs CINCH                                                                                                                                                                                                                                                                      |
| Image compression method:           | AI Coding / H.265+ / H.265 / H.264+ / H.264 / MJPEG                                                                                                                                                                                                                              |
| Image records resolutions:          | <ul style="list-style-type: none"><li>• AHD / HD-CVI / HD-TVI :<br/>5M-N - 1296 x 1944<br/>4M-N - 1280 x 1440<br/>1080p - 1920 x 1080<br/>1080N - 960 x 1080<br/>720p - 1280 x 720</li><li>• CVBS :<br/>960H - 960 x 576 ,</li><li>• IP :<br/>max. 6 Mpx - 3072 x 2048</li></ul> |
| Recording speed adjustment:         | 6 Mpx IP @ 1 ... 25 fps<br>5M-N @ 1 ... 10 fps<br>4M-N @ 1 ... 15 fps<br>1080p @ 1 ... 15 fps<br>1080N @ 1 ... 25 fps<br>720p @ 1 ... 25 fps<br>960H @ 1 ... 25 fps<br>for each channel                                                                                          |
| Operation modes:                    | 16 x AHD / HD-CVI / HD-TVI / CVBS / IP + 8 x IP                                                                                                                                                                                                                                  |
| Recording modes:                    | Manual, Sensor, Motion detection, Schedule                                                                                                                                                                                                                                       |
| Supported hard drives:              | 2 x 10 TB SATA                                                                                                                                                                                                                                                                   |
| External storage devices backup:    | Save single frames and whole records from DVR drive to the USB drive                                                                                                                                                                                                             |
| Searching and playback the records: | Records searching: by time + timeline with record type. Playback: forward, fast, slow, step<br>Advanced searching (to the one second accuracy)<br>1/4/8/9/16 channel synchronous playback                                                                                        |

|                                  |                                                                                                                                                                       |
|----------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Network functions:               | Network Client Software and IE browser: live view, playback and backup of the records, partial configuration of the recorder parameters                               |
| USB:                             | 1 pcs USB 2.0<br>1 pcs USB 3.0                                                                                                                                        |
| Mobile phones support:           | Port no.: 37777 or access by a cloud (P2P)<br>• Android: Free application <a href="#">BCS Manager</a><br>• iOS (iPhone): Free application <a href="#">BCS Manager</a> |
| Alarm inputs / outputs:          | —                                                                                                                                                                     |
| PTZ control:                     | RS-485 - PELCO-D/P and others                                                                                                                                         |
| Motion Detection:                | Split the screen into zones : 22 x 18 motion zones                                                                                                                    |
| Mouse support:                   | ✓                                                                                                                                                                     |
| IR remote controller in the set: | ✓                                                                                                                                                                     |
| Power supply:                    | 12 V DC / 4 A (power adapter included)                                                                                                                                |
| Color:                           | Black                                                                                                                                                                 |
| Weight:                          | 1.75 kg                                                                                                                                                               |
| Dimensions:                      | 375 x 285 x 52 mm                                                                                                                                                     |
| Supported languages:             | English, Polish                                                                                                                                                       |
| Country of origin:               | China                                                                                                                                                                 |
| Manufacturer / Brand:            | BCS                                                                                                                                                                   |
| Guarantee:                       | <b>3 years</b>                                                                                                                                                        |

## PRESENTATION

Front panel:



Rear view:



In the kit:



## PACKAGE

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60

|                                  |                    |
|----------------------------------|--------------------|
| Dimensions (L x W x H): 0x0x0 mm | Gross Weight: 0 kg |
|----------------------------------|--------------------|

