

Code: HAC-HDB2241F-M-A-0210B

HD-CVI VANDALPROOF CAMERA **HAC-HDB2241F-M-A-0210B** - 1080p 2.1 mm DAHUA

Net: **121.17 EUR** Gross: **121.17 EUR**

Megapixel camera with 1/2.8" Progressive Scan CMOS sensor and HD-CVI. Thanks to the "Starlight" technology used, the camera only needs very low lighting to obtain a clear color image.

The HD-CVI interface allows to transmission of analog video signal via coaxial cable in max. 8.3 Mpx (4K UHD) resolution. During transmission there are no delays and is maintained the original, high quality image.

The camera has a very flat profile, it's only 51 mm out from the ceiling.

Attention! The connection cable has been terminated with the M12 connector.



SPECIFICATION

Standard:	HD-CVI
Sensor:	1/2.8 " Progressive Scan CMOS
Matrix size:	2.1 Mpx
Resolution:	1920 x 1080 - 1080p , 1280 x 720 - 720p
Range of IR illumination:	—
Lens:	2.1 mm
View angle:	133 °
S/N ratio:	> 65 dB
Video output:	HD-CVI, 1 Vpp / 75 Ω - M12, 4-pin socket
Audio:	• Microphone built-in, • External microphone input
Main features:	• WDR - 120 dB - Wide Dynamic Range • 2D-DNR, 3D-DNR - Digital Noise Reduction • BLC/HLC - Back Light / High Light Compensation • ICR - Movable InfraRed filter • Auto White Balance • AGC - Automatic Gain Control • Sharpness - sharper image outlines
OSD menu:	OSD menu available via DAHUA recorder
Power supply:	12 V DC / 190 mA
Power consumption:	≤ 2.2 W
Housing:	Dome, Aluminum

Color:	White
"Index of Protection":	IP67
Vandal-proof:	IK10
Operation temp:	-40 °C ... 60 °C
Weight:	0.31 kg
Dimensions:	Ø 106 x 50 mm
Manufacturer / Brand:	DAHUA
Guarantee:	3 years

PRESENTATION


View after remove the cover:



Side view:



Mounting side view:



Camera connector:



In the kit:



OUR OPINIONS



- Thanks to the "Starlight" technology used, the camera only needs very low lighting to obtain a clear color image.

PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

