

Code: DH-HAC-HFW1100RMP

## HD-CVI CAMERA **DH-HAC-HFW1100RMP** -0360B - 720p 3.6 mm DAHUA

Net: **21.46 EUR** Gross: **21.46 EUR**

Megapixel camera with 1/2.9" CMOS sensor and HD-CVI (High Definition Composite Video Interface).

The HD-CVI interface allows to transmission of analog, composite video signal via coaxial cable. It enables the transmission of HD resolution images for even 500 m distance with keeping the low costs of the installation. During transmission there are no delays and is maintained the original, high quality image.

Camera is according to IP67 Index of Protection norm. The 3-Axis integrated camera bracket has a regulation in all three planes, which allows to turn the camera to any direction.



### SPECIFICATION

|                                  |                                                                                                                                                                                                                                                                 |
|----------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Standard:                        | HD-CVI                                                                                                                                                                                                                                                          |
| Sensor:                          | 1/2.9 " CMOS                                                                                                                                                                                                                                                    |
| Matrix size:                     | 1.0 Mpx                                                                                                                                                                                                                                                         |
| Resolution:                      | 1280 x 720 - 720p                                                                                                                                                                                                                                               |
| Video output:                    | HD-CVI, 1 Vpp / 75 Ω                                                                                                                                                                                                                                            |
| Lens:                            | 3.6 mm                                                                                                                                                                                                                                                          |
| View angle:                      | <ul style="list-style-type: none"><li>• 88 ° (manufacturer data)</li><li>• 82 ° (our tests result)</li></ul>                                                                                                                                                    |
| S/N ratio:                       | > 50 dB                                                                                                                                                                                                                                                         |
| Range of IR illumination:        | 20 m                                                                                                                                                                                                                                                            |
| IR illuminator power adjustment: | Automatic                                                                                                                                                                                                                                                       |
| OSD menu:                        | —                                                                                                                                                                                                                                                               |
| Main features:                   | <ul style="list-style-type: none"><li>• ICR - Movable InfraRed filter</li><li>• 2D-DNR - Digital Noise Reduction</li><li>• Day/night mode</li><li>• Auto White Balance</li><li>• AGC - Automatic Gain Control</li><li>• BLC - Back Light Compensation</li></ul> |
| Power supply:                    | 12 V DC / 290 mA                                                                                                                                                                                                                                                |
| Power consumption:               | max. 3.5 W                                                                                                                                                                                                                                                      |
| Housing:                         | Compact, Metal                                                                                                                                                                                                                                                  |
| Color:                           | White                                                                                                                                                                                                                                                           |
| "Index of Protection":           | IP67                                                                                                                                                                                                                                                            |

|                       |                  |
|-----------------------|------------------|
| Operation temp:       | -30 °C ... 60 °C |
| Weight:               | 0.302 kg         |
| Dimensions:           | Ø 70 x 154 mm    |
| Manufacturer / Brand: | DAHUA            |
| Guarantee:            | <b>3 years</b>   |

## PRESENTATION


Front view - small sizes camera:



Side view:



Camera mounting side view:



In the kit:



## OUR TESTS

Camera image at artificial illumination (about 30Lux):



Camera image at night conditions with internal built-in IR illuminator on:



Camera image at direct strong light opposite to camera:



## OUR OPINIONS



- Small dimensions camera.

## PACKAGE

|                                  |                    |
|----------------------------------|--------------------|
| Dimensions (L x W x H): 0x0x0 mm | Gross Weight: 0 kg |
|----------------------------------|--------------------|



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60