

Code: AQUA-PLUS

PIR DETECTOR **AQUA-PLUS** SATEL

Net: **13.39 EUR** Gross: **13.39 EUR**

Digital passive PIR detector.



SPECIFICATION

Application:	Indoor
Pyroelectric sensor:	Double
Sensor type:	Passive Infra Red (PIR)
Range:	15 x 14 m
Alarm output:	2EOL/NC - selectable by switch
Sensitivity adjustment:	3-step
Pet immunity:	—
Prealarm feature:	✓
Relay contacts rating (resistive load):	40 mA / 16 V DC
Alarm time:	2 s
Digital temperature compensation:	✓
Power supply:	12 V DC / 8.5 mA (max)
Operation temp:	-30 °C ... 55 °C
Target speed range:	0.3 ... 3 m/s
Main features:	• Beams tilt angle adjustment • EOL resistors • 2EOL/NC, NC configurations support
Weight:	0.09 kg
Dimensions:	63 x 96 x 49 mm

Manufacturer / Brand:	SATEL
Guarantee:	2 years

PRESENTATION

Internal view:




Mounting side view:



Examples of connection diagrams:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
 POL; 60-713 Poznań; Graniczna 10
 e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------