

Code: LE-601941

SURFACE-MOUNTING HERMETIC DISTRIBUTION CABINET 12-MODULAR **LE-601941** RN65 LEGRAND

Net: **63.59 EUR** Gross: **63.59 EUR**

1-row 12-modular surface-mounting, hermetic distribution electric cabinet.



SPECIFICATION

Method of mounting:	Surface-mounted
Number of mounted modules:	12 x 1 row
Spacing between TH 35 rails:	—
Transparent door:	✓
Main features:	• Weatherproof cabinet • Fully reversible door and cabinet • The TH 35 rail with 2-position mounting for modular products • Can be fitted with perforated plates and solid faceplates for mounting non-modular products • Lockable door handle, sealable cover and faceplate • Rated voltage : 400 V AC, 50 / 60 Hz • Max. current : 63 A • Short-circuit current : 10 kA • Equipped with terminal blocks and modules blanking plates
Equipment:	• Terminal blocks 1 x (12 x 1.5 ... 16 mm² + 1 x 6 ... 25 mm²) 1 x (8 x 1.5 ... 16 mm²) • Module blanking plates : 1 x 5 pcs
Material:	Self-extinguishing
Color:	Light gray
"Index of Protection":	IP65
IK rating:	IK09
Compliance with standards:	PN-EN 60439-3, IEC 60695-2-11, IEC 62262

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Operation temp:	-25 °C ... 40 °C
Weight:	1.928 kg
Dimensions:	340 x 282 x 141 mm
Manufacturer / Brand:	LEGRAND
Guarantee:	2 years


PRESENTATION

Front view:



Internal view of the housing:





Top view:




Mounting side view:






Dimensions:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

