

Code: LE-606619

SWITCH DISCONNECTOR WITH FUSE **LE-606619** ONE-PHASE 63 A D02 LEGRAND

Net: **16.30 EUR** Gross: **16.30 EUR**

Switch disconnectors without fuse links - provide an insulation break and allow to choose the appropriate fuse links depending on the needs. The devices are equipped with dummy fuse links AD02. The LE-606619 switch disconnector is compatible to TH-35 rail mounting system.

WARNING! The device requires the installation of fuse-link D02 type (available separately) with a rated current not exceeding 63A.



SPECIFICATION

Device type:	One-phase
Rated current:	63 A
Number of poles:	1
Rated voltage:	230 / 400 V AC
Rated insulation voltage:	500 V
Rated impulse withstand voltage:	6000 V
Fusing characteristics:	—
Type (size):	D02
Breaking capacity:	50000 A AC
Connectors type:	cable terminals
Wire gauge:	2.5 ... 25 mm ²
Environment class:	II
Housing:	Plastic, TH-35 rail mounting
Width in 17.5 mm modules:	1.5
Operation temp:	-26 °C ... 60 °C
Weight:	0.162 kg
Dimensions:	83 x 70.3 x 26.5 mm

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Manufacturer / Brand:	LEGRAND
Guarantee:	2 years

PRESENTATION

Front view:



Open cover of fuse links:



Bottom view:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
 POL; 60-713 Poznań; Graniczna 10
 e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60




Top view:



Mounting side view:





In the kit:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

