

Code: DH-IPC-G26P-0280B

## IP CAMERA **DH-IPC-G26P-0280B** Wi-Fi, - 1080p 2.8 mm DAHUA

Net: **81.26 EUR** Gross: **81.26 EUR**

IP camera with efficient H.264 / H.265 image compression algorithm for clear and smooth video streaming at maximal resolution of 1920 x 1080 (1080p).

The cameras of the Dahua Consumer series have been designed with special care to simplify the configuration and operation. In combination with the user friendly imou platform, the Dahua Consumer series devices allow anyone to create a simple and effective surveillance system.

The used Wi-Fi module allows to remote communication with camera for max. distance up to 50 m.

The range of IR illumination according to the manufacturer data, depends on outer conditions (visibility - air transparency, environment, wall colors ie. scene reflectance).

**Attention!** The Dahua Consumer cameras are dedicated to management only via the imou application (previous name Lechange). The IMOU series devices do not have a WEB interface. The Consumer series records the data only after motion detection (no continuous recording) - recording approx. 1 - 1.5 minutes depending on the duration of the movement in front of the camera.

In order to obtain optimal performance of DAHUA Consumer series cameras, it is recommended to use DAHUA Micro SD memory cards.



### SPECIFICATION

|                           |                                                                      |
|---------------------------|----------------------------------------------------------------------|
| Standard:                 | TCP/IP                                                               |
| Sensor:                   | 1/2.7 " Progressive Scan CMOS                                        |
| Matrix size:              | 2.1 Mpx                                                              |
| Scanning system:          | Progressive                                                          |
| Resolution:               | 1920 x 1080 - 1080p                                                  |
| Lens:                     | 2.8 mm                                                               |
| View angle:               | 112 °                                                                |
| Range of IR illumination: | 30 m                                                                 |
| S/N ratio:                | > 50 dB                                                              |
| Image compression method: | H.265                                                                |
| Alarm inputs / outputs:   | —                                                                    |
| Audio:                    | Microphone built-in                                                  |
| Main stream frame rate:   | 25 fps @ 1080p                                                       |
| Network interface:        | 10/100 Base-T (RJ-45), Wi-Fi IEEE 802.11 b/g/n                       |
| Network protocols:        | TCP, DHCP                                                            |
| WEB Server:               | —                                                                    |
| ONVIF:                    | —                                                                    |
| Memory card slot:         | Micro SD memory cards up to 128GB support (possible local recording) |

|                                |                                                                                                                                                                                                              |
|--------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Main features:                 | <ul style="list-style-type: none"> <li>• Wi-Fi module - IEEE 802.11 b/g/n, Operating range in open area : 100 m (open area) ; Antenna - 2x2 MIMO, SMA type connectors</li> <li>• Motion Detection</li> </ul> |
| Power supply:                  | 12 V DC / 630 mA                                                                                                                                                                                             |
| Power consumption:             | ≤ 7.5 W                                                                                                                                                                                                      |
| Mobile phones support:         | Access by a cloud (P2P)<br><ul style="list-style-type: none"> <li>• Android: Free application <a href="#">IMOU</a></li> <li>• iOS (iPhone): Free application <a href="#">IMOU</a></li> </ul>                 |
| Default admin user / password: | admin / admin                                                                                                                                                                                                |
| Default IP address:            | DHCP                                                                                                                                                                                                         |
| Web browser access ports:      | —                                                                                                                                                                                                            |
| PC client access ports:        | —                                                                                                                                                                                                            |
| Mobile client access ports:    | —                                                                                                                                                                                                            |
| Port ONVIF:                    | —                                                                                                                                                                                                            |
| RTSP URL:                      | —                                                                                                                                                                                                            |
| Housing:                       | Compact - Metal                                                                                                                                                                                              |
| Color:                         | White                                                                                                                                                                                                        |
| "Index of Protection":         | IP67                                                                                                                                                                                                         |
| Operation temp:                | -10 °C ... 50 °C                                                                                                                                                                                             |
| Weight:                        | 0.49 kg                                                                                                                                                                                                      |
| Dimensions:                    | 70 x 107 x 173 mm                                                                                                                                                                                            |
| Supported languages:           | —                                                                                                                                                                                                            |
| Manufacturer / Brand:          | DAHUA                                                                                                                                                                                                        |
| Guarantee:                     | <b>3 years</b>                                                                                                                                                                                               |

## PRESENTATION

Front view:



Side view:




DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
 POL; 60-713 Poznań; Graniczna 10  
 e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60



Bottom view:



Camera mounting side view:



In the kit:



## PACKAGE

|                                  |                    |
|----------------------------------|--------------------|
| Dimensions (L x W x H): 0x0x0 mm | Gross Weight: 0 kg |
|----------------------------------|--------------------|