

Code: KIT/N14P/4-F22A

SURVEILLANCE KIT **KIT/N14P/4-F22A** IP PoE 4 CHANNELS HDD 1TB - 1080p 2.8 mm IMOU

Net: **178.05 EUR** Gross: **178.05 EUR**

The surveillance kit includes 4 cameras, DVR with 1TB hard disk, DC 53V/1.22A power adapter and 4 connecting cables with 18 m length each.

The Network Video Recorder has the ability to work with IMOU IP cameras that support the PoE supply standard. The menu options layout has been designed for all users, even beginners can easily navigate and change parameters in DVR settings without any problem.

IP camera with efficient H.264 / H.265 image compression algorithm for clear and smooth video streaming at maximal resolution of 1080p. Camera is according to IP67 Index of Protection norm.



SPECIFICATION

Standard:	TCP/IP
Supported resolutions:	1080p - 1920 x 1080 px
Video outputs:	1 pcs HDMI 1 pcs VGA
Audio support:	4 Channels - Audio from cameras
Audio inputs:	1 pcs CINCH - External microphone input
Audio outputs:	1 pcs CINCH
Image compression method:	H.265+ / H.265 / H.264+ / H.264
Supported hard drives:	• 1 x 8 TB SATA, • HDD : 1 TB (included)
Recording modes:	Manual, Motion Detection, Schedule
External storage devices backup:	Backup to USB drive (pendrive, external drive)
Default admin user / password:	admin / admin
Default IP address:	192.168.1.108
Web browser access ports:	80, 37777
PC client access ports:	37777
Mobile client access ports:	37777
RTSP URL:	rtsp://admin:haslo@192.168.1.108:554/cam/realmonitor?channel=1&subtype=0 - Main stream rtsp://admin:haslo@192.168.1.108:554/cam/realmonitor?channel=1&subtype=1 - Sub stream
Searching and playback the records:	Records searching: by time and events type. Records playback: forward, backward, fast, slow Synchronous playback of all channels
Intelligent Image Analysis:	—
Network functions:	• Port Ethernet 10/100 Mb/s • Full support via network, Web Server built-in
ONVIF:	✓

Mobile phones support:	Port no.: 37777 or access by a cloud (P2P) • Android: Free application IMOU • iOS (iPhone): Free application IMOU
Alarm inputs / outputs:	—
PTZ control:	—
Motion Detection:	✓
USB:	2 pcs USB 2.0
Mouse support:	✓
IR remote controller in the set:	—
Power supply:	53 V DC / 1.22 A (power adapter included)
Weight:	1.29 kg (Recorder with HDD)
Dimensions:	260 x 232 x 48 mm
Supported languages:	English, Polish

Camera:

Standard:	TCP/IP
Sensor:	1/2.8 " Progressive Scan CMOS
Matrix size:	2.1 Mpx
Resolution:	1920 x 1080 - 1080p
Lens:	2.8 mm
View angle:	102 °
Range of IR illumination:	30 m
Audio:	• Microphone built-in, • Audio transmission via network
Image compression method:	H.265 / H.264
Main stream frame rate:	25 fps @ 1080p
ONVIF:	✓
Network interface:	100 Mbps Fast Ethernet
WEB Server:	—
Mobile phones support:	Access by a cloud (P2P) • Android: Free application IMOU • iOS (iPhone): Free application IMOU
Default admin user / password:	admin / - The administrator password should be set at the first start
Default IP address:	DHCP
Web browser access ports:	—
PC client access ports:	—
Mobile client access ports:	—
Port ONVIF:	—
RTSP URL:	—
Memory card slot:	—
Main features:	• Day/night mode • Motion Detection, • People detection • D-ZOOM - Digital Zoom : 16x



Power supply:	PoE
Power consumption:	< 3.5 W
"Index of Protection":	IP67
Weight:	0.21 kg
Dimensions:	74 x 74 x 148 mm
Supported languages:	—

General information:

Connecting cable:	4 x 18 m Ethernet
Country of origin:	China
Manufacturer / Brand:	DAHUA / IMOU
Guarantee:	2 years

PRESENTATION

DVR:



Front view:



Rear view:



CAMERA:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
 POL; 60-713 Poznań; Graniczna 10
 e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Front view:



Side view:



Mounting side view:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
 POL; 60-713 Poznań; Graniczna 10
 e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60