

Code: IPC-F22FP-D

# IP CAMERA **IPC-F22FP-D** Wi-Fi BULLET 2E-D Full-Color - 1080p 2.8 mm IMOU

Net: **47.59 EUR** Gross: **47.59 EUR**

The cameras of the IMOU series have been designed with special care to simplify the configuration and operation. In combination with the user friendly IMOU platform, the IMOU series devices allow anyone to create a simple and effective surveillance system.

Very easy operation via mobile devices (Android / iOS), allows the users for comfortable and remote operation, and also management of the camera. Camera is according to IP67 Index of Protection norm.

The camera can cooperate with the N14P recorder.

**Attention!** The IMOU series devices do not have a WEB interface. In order to obtain optimal performance of IMOU series cameras, it is recommended to use DAHUA Micro SD memory cards.



## SPECIFICATION

|                                    |                                                                                                                   |
|------------------------------------|-------------------------------------------------------------------------------------------------------------------|
| Standard:                          | TCP/IP                                                                                                            |
| Sensor:                            | 1/2.8 " Progressive Scan CMOS                                                                                     |
| Matrix size:                       | 2.1 Mpx                                                                                                           |
| Resolution:                        | 1920 x 1080 - 1080p                                                                                               |
| Lens:                              | 2.8 mm                                                                                                            |
| View angle:                        | 102 °                                                                                                             |
| White light LED illuminator range: | 30 m                                                                                                              |
| Audio:                             | <ul style="list-style-type: none"><li>• Microphone built-in,</li><li>• Audio transmission via network</li></ul>   |
| Image compression method:          | H.265 / H.264                                                                                                     |
| Main stream frame rate:            | 25 fps @ 1080p                                                                                                    |
| Network protocols:                 | TCP, DHCP                                                                                                         |
| ONVIF:                             | ✓                                                                                                                 |
| Network interface:                 | <ul style="list-style-type: none"><li>• Ethernet : 100 Mbps</li><li>• Wi-Fi IEEE 802.11 b/g/n - 2.4 GHz</li></ul> |
| WEB Server:                        | —                                                                                                                 |

|                                |                                                                                                                                                                                                                                                                                                                                                                                                    |
|--------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Mobile phones support:         | Access by a cloud (P2P)<br>• iOS (iPhone): Free application <a href="#">IMOU</a><br>• Android: Free application <a href="#">IMOU</a>                                                                                                                                                                                                                                                               |
| Default admin user / password: | admin / -<br>The administrator password should be set at the first start                                                                                                                                                                                                                                                                                                                           |
| Default IP address:            | DHCP                                                                                                                                                                                                                                                                                                                                                                                               |
| Web browser access ports:      | —                                                                                                                                                                                                                                                                                                                                                                                                  |
| PC client access ports:        | —                                                                                                                                                                                                                                                                                                                                                                                                  |
| Mobile client access ports:    | —                                                                                                                                                                                                                                                                                                                                                                                                  |
| Port ONVIF:                    | —                                                                                                                                                                                                                                                                                                                                                                                                  |
| RTSP URL:                      | —                                                                                                                                                                                                                                                                                                                                                                                                  |
| Memory card slot:              | Micro SD memory cards up to 256GB support (possible local recording)                                                                                                                                                                                                                                                                                                                               |
| Main features:                 | <ul style="list-style-type: none"> <li>• Wi-Fi module - IEEE 802.11 b/g/n,</li> <li>• Motion Detection</li> <li>• People detection</li> <li>• Receive alarm notifications in the application when the camera detects motion</li> <li>• D-ZOOM - Digital Zoom : 16x</li> <li>• LED Floodlight</li> <li>• Full Color - colorful night mode</li> <li>• Light alarm</li> <li>• RESET button</li> </ul> |
| Power supply:                  | 12 V DC / 1 A (power adapter included)                                                                                                                                                                                                                                                                                                                                                             |
| Power consumption:             | < 5.1 W                                                                                                                                                                                                                                                                                                                                                                                            |
| "Index of Protection":         | IP67                                                                                                                                                                                                                                                                                                                                                                                               |
| Weight:                        | 0.35 kg                                                                                                                                                                                                                                                                                                                                                                                            |
| Dimensions:                    | 148 x 74 x 74 mm                                                                                                                                                                                                                                                                                                                                                                                   |
| Supported languages:           | —                                                                                                                                                                                                                                                                                                                                                                                                  |
| Manufacturer / Brand:          | DAHUA / IMOU                                                                                                                                                                                                                                                                                                                                                                                       |
| Guarantee:                     | 2 years                                                                                                                                                                                                                                                                                                                                                                                            |

## PRESENTATION

Front view:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60



Side view:



Bottom view:



Memory card slot:



Mounting side view:





In the kit:



## PACKAGE

|                                  |                    |
|----------------------------------|--------------------|
| Dimensions (L x W x H): 0x0x0 mm | Gross Weight: 0 kg |
|----------------------------------|--------------------|



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
 POL; 60-713 Poznań; Graniczna 10  
 e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60