

Code: VTO2000A

VIDEO DOORPHONE **VTO2000A** DAHUA

Net: **225.28 EUR** Gross: **225.28 EUR**



The device works with video doorphones, and other DAHUA panels.
ATTENTION! The device does not support the Dahua analogue system.

SPECIFICATION

Sensor:	1.3 Mpx CMOS
Image compression method:	H.264
LED illuminator:	✓
Compatibility:	DAHUA
UTP category:	UTP cat. 5e
Main features:	• Doorbell button, • Bidirectional communication, • Microphone built-in, • Speakers built-in, • Camera position adjustment in all planes, • Tamper detection - removing from mounting surface
Mobile phones support:	Port no.: 37777 or access by a cloud (P2P) • Android: Free application DMSS • iOS (iPhone): Free application DMSS There are also other versions of mobile applications: gDMSS Plus, iDMSS Plus
Operation temp:	-30 °C ... 70 °C
Power supply:	• 12 V DC / 1 A, • 24 V DC, • 24 V PoE - DAHUA
Supported languages:	English, Bulgarian, Czech, Finnish, Polish, Slovenian, Slovak, Hungarian
Housing:	Metal, Waterproof
Color:	Gray
Weight:	0.36 kg

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60


Dimensions:	141 x 130 x 40 mm
Manufacturer / Brand:	DAHUA
Guarantee:	3 years

PRESENTATION

Rear view:




Connectors view:



Side view:



Examples of connection diagrams:



- 1. Detectors (smoke/gas/heat/PIR)
- 2. INDOOR PANEL
- 3. IP cameras
- 4. Video doorphone
- 5. DVR
- 6. Remote client
- 7. Router WiFi

In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------