


Code: MDZ-XL-KB

MOUNTING DESK INTO THERMAL INSULATION **MDZ-XL-KB** KOPOS

Net: **30.56 EUR** Gross: **30.56 EUR**

Mounting desk with electrical installation box for installing electrical devices (eg outdoor lights, motion sensors, etc.) on thermally insulated buildings facades with a thickness from 50 to 200 mm. The robust construction. Elimination of thermal bridging. Before installing, it is necessary to cut the carrier including the enclosed insulation to the required length according to the thickness of the insulating layer.





SPECIFICATION


Number of sections:	1
Voltage insulation:	~ 400 V
Main features:	• for insulating systems • temperature range : -25 °C ... 60 °C • load 40 N - 180 mm from wall • flammability index : 850 °C • 4 fixing points (box) • Expansion plugs, Mounting screws, cover facing with a box - included
Material:	Self-extinguishing
Color:	Light gray
Weight:	0.57 kg
Thickness of the insulating layer:	50 ... 200 mm
Mounting holes distance:	60 mm
Dimensions:	Ø 63 x 39 mm (box) 238 x 238 x 42 mm (mounting desk) 120 x 120 x 200 mm (carrier)
Manufacturer / Brand:	KOPOS
Guarantee:	2 years

PRESENTATION


DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60




DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
 POL; 60-713 Poznań; Graniczna 10
 e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60




Dimensions:



Method of mounting:



:
In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

