

Code: S562D-SKM

VIDEO DOORPHONE INTEGRATED WITH MAILBOX **S562D-SKM** VIDOS

Net: **466.13 EUR** Gross: **466.13 EUR**

Video doorphone integrated with one-way mailbox. The box is designed for mounting in a fence post or wall. Thanks to the use of the highest quality materials, it is resistant to weather conditions. The video doorphone has been equipped with a color camera with the possibility of adjusting horizontally and vertically in the range of several degrees. The S562D-SKM is designed to cooperation with video doorphones and panels working in analog VIDOS system.



SPECIFICATION

Compatibility:	VIDOS Analog Video Doorphones
Sensor:	1/3 ", 600 TVL
View angle:	87 °
IR illuminator:	✓
LED illuminator:	—
Fingerprint reader built-in:	—
proximity reader built-in:	—
Built-in keypad:	✓
The number of subscribers served:	2
Video output:	compatible with VIDOS analog video door-phone system
Main features:	• Integrated mailbox - Through • Camera - Angle adjustment range $\pm 10^\circ$ • Vandal-proof front panel • Electric strikes and electromagnetic locks support • Illuminated buttons and signboard for the surname • Adjustment of the opening time of the electric strike: 1s ... 99s • Output for the additional lock release button • Timer output specifying temporary access
Power supply:	12 V DC ... 15 V DC
Power consumption:	≤ 1.5 W (operation)

Housing:	• Acid-proof steel - Front panel, Rear panel • Steel galvanized - Drawer
Color:	Silver
"Index of Protection":	IP54
Operation temp:	-20 °C ... 55 °C
Weight:	5 kg
Dimensions:	• Front panel : 285 x 385 mm • Rear panel : 260 x 110 mm • Adjustable depth of the box : 260 ... 410 mm
Manufacturer / Brand:	VIDOS
Guarantee:	3 years

PRESENTATION

Front panel:



View after removing the front panel:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
 POL; 60-713 Poznań; Graniczna 10
 e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Rear view:





The depth of the box is adjustable:




Front panel - view from the wall side:



Connectors description:



Dimensions:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------